



OPEN API

version 17.0.1

user guide

No Magic, Inc.
2011

All material contained herein is considered proprietary information owned by No Magic, Inc. and is not to be shared, copied, or reproduced by any means. All information copyright 2003-2011 by No Magic, Inc. All Rights Reserved.

CONTENTS

INTRODUCTION 8

PLUG-INS 10

How plug-ins work 10

Writing plug-in 11

Testing plug-in 13

Detail information 13

Plug-in descriptor 13

Plug-in classes 15

Plug-In class loading 16

Important notes for Unix systems 17

Resource dependent plug-in 17

Implementing ResourceDependentPlugin example 17

NEW! MagicDraw Plugin Integration with Eclipse 18

Extending Eclipse Main Menu with Plugin Command 18

PLUGINS MIGRATION TO MAGICDRAW 15.0 AND LATER OPEN API 20

UML metamodel changes 20

UML specification changes 20

UML metamodel API implementation changes 20

Removed deprecated methods 21

Libraries jars changes 21

Package name change for build-in plug-ins 21

DISTRIBUTING RESOURCES 22

How to distribute resources 22

Creating required files and folders structure 22

Resource Manager descriptor file 28

JYTHON SCRIPTING 31

Creating script 31

Step 1: Create directory 31

Step 2: Write script descriptor 31

Step 3: Write script code 32

Variables passed to script 32

Jython 33

ADDING NEW FUNCTIONALITY 34

Invoking Actions 34

Creating a new action for MagicDraw 35

Step 1: Create new action class 35

Step 2: Specify action properties 37

Step 3: Describe enabling/disabling logic 37

CONTENTS

Step 4: Configure actions **38**
Step 5: Register configurator **40**

Actions hierarchy **41**

Predefined actions configurations **42**
NEW! Selecting elements via element Selection dialog **42**

UML MODEL **43**

Project **43**

Root Model **44**

Accessing Model Element properties **44**

Container properties **44**

Collecting all children from all hierarchy levels **45**

Visitors **46**

InheritanceVisitor **46**

Changing UML model **47**

SessionManager **47**

ModelElementsManager **47**

Creating new model element **48**

Editing model element **48**

Adding new model element or moving it to another parent **48**

Removing model element **49**

NEW! Refactoring model elements **50**

Creating Diagram **50**

Creating new Relationship object **51**

NEW! Copying elements and symbols **51**

Working with Stereotypes and Tagged Values **52**

Hyperlinks **53**

PRESENTATION ELEMENTS **55**

Presentation Element **55**

Using set and sSet **56**

Diagram Presentation Element **56**

Shapes **57**

Paths **57**

Presentation Elements Manager **57**

Creating shape element **58**

Creating path element **58**

Reshaping shape element **58**

Changing path break points **59**

Deleting presentation element **59**

Changing properties of presentation element **59**

Notification of Presentation Element draw **60**

NEW! Displaying Related Symbols **61**

SYMBOLS RENDERING **62**

Custom Renderer Provider **62**

Registering Provider **62**

Custom Symbol Renderer **62**

Custom Renderers Sample **63**

CONTENTS

- Creating Custom Renderers **63**
- Registering Custom Symbol Renderer Provider **65**

DIAGRAM EVENTS **67**

- NEW! Diagram Listener Adapter **67****

PATTERNS **68**

- Target concept **68****
 - Using PatternHelper **68**
 - Abstract Pattern **68**
- How to create my own pattern **70****
 - Step 1: Create pattern properties class **70**
 - Step 2: Create pattern panels class **71**
 - Step 3: Create pattern class **71**
 - Step 4: Create Description.html **72**
 - Step 5: Create plug-in **72**

PROPERTIES **74**

NEW DIAGRAM TYPES **76**

- Diagram Types hierarchy **77**
- Adding a new diagram type for MagicDraw **77**

PROJECTS MANAGEMENT **81**

- ProjectsManager **81****
- ProjectDescriptor **82****
 - Project management **82**
 - Module management **83**

PROJECT OPTIONS **86**

- Adding Own Project Options **86****
- Retrieving Project Option Value **87****

NEW! ENVIRONMENT OPTIONS **88**

- Adding Custom Environment Options **88****

EVENT SUPPORT **89**

- Property Change Events **89****
 - Property Names in MagicDraw **89**
- Listening to Property Change Events **90****
 - Listening to Related Elements in Hierarchy Events **91**
- Listening to Transaction Commit Events **91****
- Event Listening Sample **91****
 - Element's Property Change Listening **91**
 - TransactionCommitListener **92**

CONTENTS

SELECTIONS MANAGEMENT 94

Selection in diagrams 94

Selection in model browser 94

CREATING IMAGES 96

CREATING METRICS 97

Creating New Metric 97

Implementing calculateLocalMetricValue(ModelElement target) 97

Implementing acceptModelElement(BaseElement element) 97

Constructor 98

Adding new metrics to MagicDraw 99

Full example source code 100

Plugin descriptor file 100

MyMetricsPlugin class 100

MyMetric class 100

Metric framework structure 102

CONFIGURING ELEMENT SPECIFICATION 103

Adding Configuration 103

CUSTOM DIAGRAM PAINTERS 104

ANNOTATIONS 105

VALIDATION 106

Basic concepts 106

Validation rule developer's roadmap 107

Create OCL2.0 Validation Rule 107

Binary Validation Rule 108

Create Binary Validation Rule - Case A 109

Create Binary Validation Rule - Case B 109

Create Binary Validation Rule - Case C 109

Create Binary Validation Rule - Case D 111

Binary validation rule in plugin 112

How to provide a solution for a problem found during validation? 112

TEAMWORK 113

CODE ENGINEERING 114

Code Engineering Set 114

Forward Engineering 114

Reverse Engineering 115

Managing code engineering sets 115

Language specific options 116

Samples of the forward and reverse engineering 116

CONTENTS

- Performing the forward engineering **116**
- Performing the reverse engineering **117**

ORACLE DDL GENERATION AND CUSTOMIZATION **118**

- Introduction to Oracle DDL generation in MagicDraw **118**
- Understanding Oracle DDL Template structure **118**
- Customizing template **119**
- Utility class **120**
- Example **125**

RUNNING MAGICDRAW IN BATCH MODE **126**

INTRODUCTION

This document describes MagicDraw Open Java API and provides instructions how to write your own plug-ins, create actions in the menus and toolbars, change UML model elements, and create new patterns.

The following chapters are included in this document:

- “Plug-Ins” on page 10
- “Plugins migration to MagicDraw 15.0 and later OPEN API” on page 20
- “Distributing Resources” on page 22
- “Jython Scripting” on page 31
- “Adding New Functionality” on page 34
- “UML Model” on page 43
- “Presentation Elements” on page 55
- “Symbols Rendering” on page 62
- “Diagram events” on page 67
- “Patterns” on page 68
- “Properties” on page 74
- “New Diagram Types” on page 76
- “Projects Management” on page 81
- “Project Options” on page 86
- “NEW! Environment Options” on page 88
- “Event support” on page 89
- “Selections Management” on page 94
- “Creating Images” on page 96
- “Creating Metrics” on page 97
- “Configuring Element Specification” on page 103
- “Custom diagram painters” on page 104
- “Annotations” on page 105
- “Validation” on page 106
- “Teamwork” on page 113
- “Code Engineering” on page 114
- “Oracle DDL generation and customization” on page 118
- “Running MagicDraw in batch mode” on page 126

In the generated JavaDoc you will find detailed descriptions of classes, their attributes, and operations. JavaDoc is located in <MagicDraw installation directory>/openapi/docs.

All MagicDraw OpenAPI classes are packaged in these jar files:

- <MagicDraw installation directory>/lib/md_api.jar
- <MagicDraw installation directory>/lib/md_common_api.jar MagicDraw plugin's classes are packed in the concrete plugin's jar file(s).
(E.g. classes of Model Transformation plugin - "<MagicDraw installation directory>plugins/com.nomagic.magicdraw.modeltransformations/modeltransformations_api.jar")

INTRODUCTION

Do not forget to add all jar files recursively (*except `md_commontw.jar` and `md_commontw_api.jar`*) from <MagicDraw installation directory>/lib directory into your (IDE) classpath and make sure the patch.jar is the first in the classpath.

We provide a set of plug-ins samples in <MagicDraw installation directory>/openapi/examples directory. Examples sometimes is the best way to find out how to use some Open API.

PLUG-INS

Plug-ins are the only one way to change functionality of MagicDraw. The main purpose of plug-in architecture is to add new functionality to MagicDraw although there is a limited ability to remove existing functionality using plug-ins.

Plug-in must contain the following resources:


- Directory.
- Compiled java files, packaged into jar file.
- Plug-in descriptor file.
- Optional files used by plug-in.

Typically plug-in creates some GUI components allowing user to use plug-in functionality. Generally this is not necessary because plug-in can listen for some changes in project and activate itself on desired changes.

How plug-ins work

MagicDraw on every startup scans plug-ins directory, and searches there for subdirectories:

- If subdirectory contains plug-in descriptor file, plug-ins manager reads descriptor file.
- If requirements specified in descriptor file is fulfilled, plug-ins manager loads specified class (specified plug-in class must be derived from [com.nomagic.magicdraw.plugins.Plugin](#) class). Then method [init\(\)](#) of loaded class is called. [init\(\)](#) method can add GUI components using actions architecture or do other activities and return from the method. [init\(\)](#) method is called only if [isSupported\(\)](#) returns true.



Writing plug-in

With this example we will create a plug-in that displays a message on MagicDraw startup.

To create plug-in you need to:

- Write plug-in descriptor.

Step 1: Create your plug-in directory in *plugins* directory

Create a myplugin directory in *plugins* directory in MagicDraw installation directory.

Step 2: Write plug-in code

Plug-in must contain at least one class derived from [com.nomagic.magicdraw.plugins.Plugin](http://www.nomagic.com/magicdraw/plugins/Plugin) class.

```
package myplugin;
public class MyPlugin extends com.nomagic.magicdraw.plugins.Plugin
{
    public void init()
    {
        javax.swing.JOptionPane.showMessageDialog( null, "My Plugin init");
    }

    public boolean close()
    {

```

```

        javax.swing.JOptionPane.showMessageDialog( null, "My Plugin close");
        return true;
    }

    public boolean isSupported()
    {
        //plugin can check here for specific conditions
        //if false is returned plugin is not loaded.
        return true;
    }
}

```

This plug-in shows message when it is initialized, and another message when it is closed.

Step 3: Compile and pack plug-in to jar file

To compile the written code, add all .jar files recursively from <MagicDraw installation directory>/lib to java *classpath*.

IMPORTANT! Make sure that the first three .jar files are added in the following order:

1. patch.jar
2. brand.jar
3. brand_api.jar

Order is not important for the rest .jar files.

Compiled code must be packed to jar file.

To create jar file, use jar command in the *plugins* directory:

```
jar -cf myplugin\myplugin.jar myplugin\*.class
```

Step 4: Write plug-in descriptor

Plug-in descriptor is a file named *plugin.xml*. This file should be placed in myplugin directory.

```

<?xml version="1.0" encoding="UTF-8"?>
<plugin
    id="my.first.plugin"
    name="My First Plugin"
    version="1.0"
    provider-name="Coder"
    class="myplugin.MyPlugin">

    <requires>
        <api version="1.0"/>
    </requires>


    <runtime>
        <library name="myplugin.jar"/>
    </runtime>
</plugin>

```


For detailed information about plug-in descriptor, see "Plug-in descriptor" on page 13.

Testing plug-in

1. Restart MagicDraw. On startup message should appear:



2. Then close MagicDraw (File menu -> Exit). Another message should appear:



- Another way to check plug-in is to look at *md.log* file. This file is located in the <User home directory>/magicdraw/<version> directory. Also all plugins and their status are listed in MagicDraw EnvironmentOptions Plugins tab.

After startup this file end should contain such information:

LOAD PLUGINS:

```
com.nomagic.magicdraw.plugins.PluginDescriptor@edf730[ id = my.first.plugin, name =
My First Plugin, provider = Coder, version = 1.0, class = myplugin.MyPlugin,
requires api = 1.0, runtime = [Ljava.net.URL;@ff94b1]
```

INIT PLUGINS:

```
com.nomagic.magicdraw.plugins.PluginDescriptor@edf730[ id = my.first.plugin, name =
My First Plugin, provider = Coder, version = 1.0, class = myplugin.MyPlugin,
requires api = 1.0, runtime = [Ljava.net.URL;@ff94b1]
```

TIP! Looking at *md.log* file is the best way to find problems when plug-in does not work.

Detail information

Plug-in descriptor


Plug-in descriptor is a file written in XML and named *plugin.xml*. Each descriptor contains properties of one plug-in. Descriptor file should contain one *plugin* element definition.

In the table below, you will find the structure of *plugin.xml*.

Element	Description	
	Name	Description
plugin	Attributes	
	id	Plug-in ID should be unique. Used to identify plug-in by plug-ins manager internals and by requirements of other plug-ins. Example: "my.first.plugin.0"
	name	Plug-in name. No strict rules applied to this attribute. Example: "Example plugin"
	version	Plug-in version. Version can be used to check other plug-ins dependencies. Allows numbers separated with one dot value.
	provider-name	Plug-in provider name. Company or author name. Example: "No Magic"
	class	Full qualified class name. Class must be derived from <i>com.nomagic.magicdraw.plugins</i> . Plugin and stored in plug-in runtime library. This class will be loaded and initialized by plug-ins manager. Example: "myplugin.MyPlugin"
	ownClassLoader	<i>Optional; default value - "false".</i> Indicate if to use plugin own (separate from other plugins) classloader. All MagicDraw plugins are loaded by <u>one</u> classloader. If there are plugins that can not be loaded by the same classloader (conflicts plugin libraries versions or etc.) their descriptors must define to use own classloaders.
	class-lookup	<i>Optional; possible values - "LocalFirst", "GlobalFirst" default value - "GlobalFirst".</i> Specifies priority of "parent" class loader if plugin is using own-Classloader. LocalFirst forces to load classes from plugin class loader even if such classes exists in MagicDraw core class path. This option should be used if you want to use in your plugin different versions of some libraries used in core.
	Nested elements	
requires	MagicDraw API version required by plug-in. Plug-ins and their versions required by plug-in.	
runtime	Runtime libraries needed by plug-in.	
requires	Nested elements	
	api	Required MagicDraw API version.
	required-plugin	Required plug-in(s) to run plug-in.
api	Attributes	
	version	Required MagicDraw API version. Example: "1.0"

Element	Description	
required-plugin	Attributes	
	id	ID of required plug-in. Example: "my.first.plugin.0"
	version	Version of required plug-in. Example: "1.1"
runtime	Nested elements	
	library	Runtime library for running plug-in.
library	Attributes	
	name	Name of the required library. Example: "patterns.jar"
help	Attributes	
	name	Name of a compressed JavaHelp file (JAR file). TIP! Adobe RoboHelp provides support for the Java-Help format and automatically creates all Java-based Help features and the HTML-based features such as HTML content and hypertext links.
	path	Relative path to the JavaHelp file.


Plug-in classes



Plugin is the base abstract class for any MagicDraw plug-in. User written plug-in must be extended from this class. Every plug-in has its own descriptor set by plug-ins manager. Plug-in has two special methods:

- [*public abstract void init\(\)*](#) method is called on MagicDraw startup. Plug-in must override this method and implement there its own functionality.
- [*public abstract boolean close\(\)*](#) method is called on MagicDraw shutdown. Plug-in must override this method and return to true if plug-in is ready to shutdown or false in other case. If plug-in returns false, MagicDraw shutdown will be canceled.
- [*public abstract boolean isSupported\(\)*](#) method is called before plug-in init. If this method returns false, plugin will not be initialized. *isSupported()* may be used to check if plugin can be started for example on this OS.

PluginDescriptor is the class that provides information loaded from *plugin.xml* file (plug-in descriptor) to plug-in. Detail information about these classes can be found in [javadoc](#).



Plug-In class loading

All MagicDraw plug-ins (classes and runtime libraries) are loaded by one classloader. If there are plugins that can not be loaded by the same classloader (conflicts plugin libraries versions or etc.) their descriptors should be defined to use own classloaders. In this case the plug-in classes are loaded by separate classloader.

Optional property “class-lookup” controls how classes are loaded if plugin has its own classloader. If value of this property is LocalFirst, class is loaded from plugin classpath even if such class is already loaded in global MagicDraw core class loader. This property is important if you want to use different version of the same classes(libraries) used in MagicDraw core.

Important notes for Unix systems

- By default plug-in directory is placed in the MagicDraw installation directory (global plug-in directory). For example if MagicDraw is installed in `c:\MagicDrawUML` plug-in directory will be in `c:\MagicDrawUML\plugins`.
On Unix systems, plug-ins manager additionally uses special directory in user home directory `~/.magicdraw/<version>/plugins` for plug-in loading.
For example for user "Bob" MagicDraw version 10.0 will use directory `/home/bob/.magicdraw/10.0/plugins` for searching plug-in. Even on Unix systems global plug-in directory is used also. This allows to have global and user plug-ins.
- Another issue on Unix systems, is related to permissions of a user to write. If MagicDraw is installed by root, user will not be allowed to write in a global plug-in directory if a user has not such permissions.

Resource dependent plug-in

Starting with 16.6 version MagicDraw UML has new functionality to require loaded plug-ins for particular project. This feature was created to avoid incorrect data load because of missing plug-ins. Every plug-in can provide name and version of plug-in to be required for project correct load.

To become resource dependent plug-in, your plug-in class must implement `com.nomagic.magicdraw.plugins.ResourceDependentPlugin` interface (Figure 1 on page 17).




Figure 1 -- Interface for resource dependent plug-in

ResourceDependentPlugin has three special methods:

- **boolean isPluginRequired(Project project)** method is called on project save. Plug-in must return true if given project uses resources from plugin.
- **String getPluginName()** method should return plugin name.
- **String getPluginVersion()** method should return version of plugin.

Implementing ResourceDependentPlugin example

```

public String getPluginName()
{
    return getDescriptor().getName();
}
public String getPluginVersion()
{
    return getDescriptor().getVersion();
}
public boolean isPluginRequired(Project project)
{
    Collection<ModuleDescriptor> collection =
project.getMountTable().getModules();
    for (ModuleDescriptor moduleDescriptor : collection)
    {

```

```

        String projectName =
ProjectDescriptorsFactory.getProjectName(moduleDescriptor.getURI());
        if (projectName != null &&
(projectName.equals("my_profile_filename") ))
        {
            return true;
        }
        return false;
    }
}

```

This plug-in will be required for projects if project contains module “my_profile_filename”. Plug-in name and version will be saved into project’s XMI file.

NEW! MagicDraw Plugin Integration with Eclipse

Extending Eclipse Main Menu with Plugin Command

Conventionally you do not need to write any additional code so that the main menu of MagicDraw was extended with some specific commands brought by a plugin after the plugin is installed. However, this is necessary when the same plugin is installed on MagicDraw which is integrated with Eclipse.

If an additional command should appear on the main menu or an additional button should be placed on the main toolbar in MagicDraw after plugin installation, you need to create an Eclipse bundle that tells Eclipse where the command or the button should be placed.

Example: Extending the Eclipse main menu with an additional command brought by a MagicDraw plugin

Lets say you have already created a MagicDraw plugin that extends the main menu of MagicDraw with a command whose id, for example, is “CUSTOM_ACTION_ID”.

To extend the Eclipse main menu with this command

1. Create a class for an Eclipse bundle to extend the “com.nomagic.magicdraw.integrations.eclipse.rcp.actions.MDEclipseActionWrapper” class.

TIP! This is an example of an Eclipse bundle class that connects to a MagicDraw command by its id “CUSTOM_ACTION_ID”:

```

public class MyCustomActionWrapper extends
MDEclipseActionWrapper
{
    public MyCustomActionWrapper()
    {
        super(CUSTOM_ACTION_ID);
    }
}

```

NOTE: This is a general way of connecting to an Eclipse command (“org.eclipse.ui.actions.ActionDelegate”) that should be placed on the Eclipse main menu.

2. Create a descriptor (*plugin.xml* file) for the Eclipse bundle to place the command on the Eclipse main menu.

TIP!

This is an example of a descriptor that should place the command with id "CUSTOM_ACTION_ID" under **Diagrams > Diagram Wizards** menu:

```
<!-- Define command and attach to category -->
<extension point="org.eclipse.ui.commands">
  <command id="MyCustomActionWrapper.cmd"
    name= "Command name"
    categoryId="MagicDraw"/>

<!-- Attach command (action) to menu -->
<extension point="org.eclipse.ui.actionSets">
  <actionSet id="Custom action set"
    label="Custom action label"
    visible="false">

    <action class= "org.my.path.MyCustomActionWrapper"
      label= "Custom action label"
      id= "Custom_action_id"
      menubarPath= "Diagrams/Diagram Wizards/group"
      definitionId="MyCustomActionWrapper.cmd"/>
  </actionSet>
</extension>

<!-- Attach to specific MagicDraw view and editor part -->
<extension name="Diagram or View Active"
  point="org.eclipse.ui.actionSetPartAssociations">
  <actionSetPartAssociation targetID="Custom_Action_Part">
    <part
      id="com.nomagic.magicdraw.integrations.eclipse.rcp.editors.
      DiagramEditor"/>
    <part id="CONTAINMENT_TREE"/>
    <part id="INHERITANCE_TREE"/>
    <part id="DIAGRAMS_TREE"/>
    <part id="EXTENSIONS_TREE"/>
    <part id="SEARCH_RESULTS_TREE"/>
    <part id="DOCUMENTATION"/>
    <part id="PROPERTIES"/>
    <part id="MESSAGES_WINDOW"/>
  </actionSetPartAssociation>
</extension>
```

NOTE: This is a general way of adding a command to the Eclipse main menu.

3. Pack the command class with the Eclipse bundle descriptor to an Eclipse bundle (*jar* file) and save the file in `<MagicDraw installation directory>/plugins/eclipse/plugins`.
4. Integrate MagicDraw with Eclipse.
5. Start Eclipse.

The new command will appear on the Eclipse main menu.

`<MagicDraw installation directory>/plugins/eclipse/plugins` contains MagicDraw plugins that have commands to appear on the Eclipse main menu. Their *plugin.xml* files can be used as examples too.

PLUGINS MIGRATION TO MAGICDRAW 15.0 AND LATER OPEN API

Open API in MagicDraw version 15.0 and later versions has changed together with changes in UML 2.1.2 (2.2) specification. You should read this chapter if you want to migrate your plugin created for earlier MagicDraw version to MagicDraw version 15.0 and later.

UML specification introduced changes in UML metamodel, so we are forced to make these changes in Open API too. Also it was a good chance to make cleaner UML metamodel implementation API.

There are no big changes in Open API, so migration will not be a long and complicate task for you.

UML metamodel changes

There are two types of changes in UML metamodel API.

UML specification changes

UML 2.1.2 (2.2) specification introduced few changes in UML metamodel itself. Some metamodel classes were added, some of them were removed, some metaclasses properties were changed. Most of these changes are not in core UML, so they will affect you if your plugin is oriented to complex things in UML.

Most changes are made in UML Templates, Simple Time, Interactions. We suggest to look at UML 2.1.2 (2.2) specification for such changes if you see some compile errors.

UML metamodel API implementation changes

Older UML metamodel API used several interfaces layers for every compatibility level described in UML specification. All these layers were merged into one using package merge, this is why old API had so many interfaces for every metamodel element in different package. Such structure was very complicated and hardly understandable for new UML users.

MagicDraw version 15.0 and later UML metamodel API provides just one final merged layer. All intermediate layers were dropped from API. This change reduced UML metamodel API size few times.

Dropped interfaces are from packages:

- `com.nomagic.uml2.ext.omg`
- `com.nomagic.uml2.magicdraw`
- `com.nomagic.uml2.omg`

We left the same package name for merged interfaces like in previous API version - **`com.nomagic.uml2.ext.magicdraw.**`**. You do not need to make any changes in your code if you was using interfaces from this layer. Otherwise you need simple change import statement in your java source files. For example - `import com.nomagic.uml2.omg.kernel.Element` to `import com.nomagic.uml2.ext.magicdraw.classes.mdkernel.Element`.

UML metamodel interfaces uses Java 5 generics, so it is much easier to understand types of various collections in metamodel.

Removed deprecated methods

Removed deprecated method	Substitution
<code>BaseElement.getProject()</code>	<code>Project.getProject(BaseElement)</code>
<code>MainFrame.getDialogParent()</code>	<code>MDDialogParentProvider.getProvider().getDialogParent()</code>
<code>MainFrame.setDialogParent(Frame)</code>	<code>MDDialogParentProvider.getProvider().setDialogParent(Frame)</code>
<code>ElementListProperty.setType(Stereotype)</code>	<code>ElementListProperty.setSelectableRestrictedElements(Collection)</code>

Libraries jars changes

MagicDraw Open API classes are packaged into *md_api.jar* and *md_common_api.jar* (was *md.jar* and *md_common.jar*). If your plugin was using API classes from some MagicDraw build-in plugin, plugin jar is also renamed with “*xxxx_api.jar*” pattern.

Package name change for build-in plug-ins

Some build-in plugins in previous MagicDraw version exposed their Open API. For example patterns, transformations, emf and etc. We have changed package name pattern for build-in plugins. Previous API version used ***com.nomagic.magicdraw.plugins.impl.***** pattern, now these plugins are moved to ***com.nomagic.magicdraw.*****. For example ***com.nomagic.magicdraw.patterns.****. Simple import statement change in your java source will solve this migration issue.

DISTRIBUTING RESOURCES

In this section, you will find information about how to share your created resources with other users. The easiest way to distribute data is to store resources to one zip archive and import the files to MagicDraw with the MagicDraw Resource Manager. For more information about Resource Manager, see *MagicDraw UserManual.pdf*.

You can distribute the following types of resources:

- Custom Diagrams
- Profiles
- Templates
- Samples and Documentation
- Plug-ins.

You can distribute one resource type or you may distribute the whole resources set.

How to distribute resources

You can distribute custom resources in the following two ways:

- Using **Resource Builder**. The resource can be created using Resource Builder. To download Resource Builder, click **Help > Resource/Plugin Manager**. In the Resource Builder, select the package containing all needed files, add it to the resource file, and specify several tags. The resource file you have created can be distributed to your team members and installed using the Resource/Plugin Manager.
- Distribute manually. Manual distribution consists of the following steps:
 - 1 Create required files. For information about what files are required for each type of resource, see “Creating required files and folders structure” on page 22.
 - 2 Create Resource descriptor file. For more information about the Resource descriptor file, see “Resource Manager descriptor file” on page 28.
 - 3 Archive created files to a zip file. The zip file should include the required files, as well as folders that have structure matching the structure of MagicDraw. For information about folders structure for each type of resource and to see the general view of the file structure, see Figure 7, “Structure of directories and files that could be distributed through the Resource Manager,” on page 28.
 - 4 Import your prepared data to MagicDraw through the Resource Manager. For more information about the MagicDraw Resource Manager, see *MagicDraw UserManual.pdf*.

NOTE MagicDraw Resource Manager supports zip archives only!

The following sections describe the manual resource distribution in details.

Creating required files and folders structure

To distribute resources, you must create the required files and folders for a particular resource type. Some of the resource file names should match the standard names.

For each resource files, there should be a created folders structure, which should match the folders structure of the MagicDraw installation folder.

To distribute resources, you must create a resource manager descriptor file, which is described in the section “Resource Manager descriptor file” on page 28.

Distributing Custom Diagrams

Required files for custom diagram distribution are as follows:

- *descriptor.xml* - Custom Diagram descriptor provided by this plugin.




Figure 2 -- Folders and files structure required for custom diagram distribution

For more information about creating new diagram types, see the section “New Diagram Types” on page 76 or see the *UML Profiling and DSL UserGuide.pdf* custom diagrams creation.

Distributing Profiles

Files for profile distribution are as follows:

- *CustomProfile.xml.zip* (required)
- *CustomProfile.htm*

You may choose any name for these files.




Figure 3 -- Folders and files structure required for profile distribution

For more information about working with Profiles see *MagicDraw UserManual.pdf* and *UML Profiling and DSL UserGuide.pdf*.

Distributing Templates

Files for template distribution are as follows:

- *CustomTemplate.xml.zip* (required)
- *CustomTemplate.html*

- *description.html*.




Figure 4 -- Folders and files structure required for template distribution

Distributing Samples and Documentation

You can distribute your created samples and documentation and import into MagicDraw with the Resource Manager.




Figure 5 -- Folders and files structure required for samples and documentation distribution

Distributing Plug-ins

Required files for plug-in distribution are as follows:

- *plugins.xml* - Plug-in description. For more information about *plugin.xml* file, see “Plug-in descriptor” on page 13.
- *customPlugin.jar* - jarred plug-in class files. You may select any title for this file.




Figure 6 -- Folders and files structure required for plug-in distribution

The plug-in term may include all resources that could be distributed. Such as custom diagrams, profiles, templates, samples, and others.

See the general structure of the resources that could be distributed with the Resource Manager in the image below.




Figure 7 -- Structure of directories and files that could be distributed through the Resource Manager

Resource Manager descriptor file

If you are planning to import and export your resources with the Resource Manager, you should read this section. For importing resources to MagicDraw, the resource manager descriptor file should be created. In this section you will find information about descriptor file naming, location, and a sample of this file.

For more information about importing resources with Resource Manager, see *MagicDraw UserManual.pdf*.

Resource Manager descriptor file naming

The resource Manager descriptor file has specific naming. See the structure of the name:

MDR_<type>_<plugin name>_<plugin id>_descriptor.xml

For example:

MDR_Plugin_CustomPlugin_3001_descriptor.xml.l

NOTE All spaces are replaced with the underscore symbol “_”.

Resource Manager descriptor file location

The file location is *<MagicDraw installation directory>/data/resourcemanager*.

Resource Manager descriptor file content and sample

In this section you will see a basic sample of the Resource Manager descriptor file structure. This sample represents a plug-in distribution, which also includes custom diagram, profile, template, sample, and documentation.

You can also distribute custom diagrams, profiles, templates, or samples separately, you only need to change the “*type*” value.

```
<resourceDescriptor
  critical="false"
  date="2007-12-24+21:01"
  description="My Plug-in"
  homePage="http://www.magicdraw.com"
  id="3001"
  mdVersionMax="higher"
  mdVersionMin="15.0"
  name="CustomPlugin"
  type="Plugin">

<version human="1.0 beta" internal="1" />
<provider name="No Magic" />

<edition>Enterprise</edition>
<edition>Architect</edition>
<edition>Standard</edition>
<edition>Professional Java</edition>
<edition>Professional C++</edition>
<edition>Professional C#</edition>
<edition>Professional ArcStyler</edition>
<edition>Reader</edition>
<edition>OptimalJ</edition>

<installation>
  <file from="data/defaults/data/diagrams/CustomDiagram/descriptor.xml"
    to="data/defaults/data/diagrams/CustomDiagram/descriptor.xml" />
<file from="profiles/CustomProfile.xml.zip"
  to="profiles/CustomProfile.xml.zip" />
<file from="templates/CustomTemplate.xml.zip"
  to="templates/CustomTemplate.xml.zip" />
  <file from="samples/CustomPluginSample.mdzip"
    to="samples/CustomPluginSample.mdzip" />
  <file from="manual/CustomPluginManual.pdf"
    to="manual/CustomPluginManual.pdf" />
  <file from="plugins/customPlugin/*.*"
    to="plugins/customPlugin/*.*" />
  <file from="data/resourcemanager/MDR_Plugin_CustomPlugin_3001_descriptor.xml"
    to="data/resourcemanager/MDR_Plugin_CustomPlugin_3001_descriptor.xml" />
```

DISTRIBUTING RESOURCES

```
</installation>  
</resourceDescriptor>
```

See the terms used in the sample description in the table below:

Element	Description
id	Unique plug-in id. <i>id</i> is used to form a descriptor file name. To prevent duplicates use a number starting from 3000.
name	Plug-in name. Name is used to form a descriptor file name. Plug-in name must be unique between all MagicDraw resources.
type	Type may be one of the following types: Custom Diagram, Plugin, Profile, Sample, Template.
version internal	<i>version internal</i> is an invisible resource number. This version number is not visible to the user and may be used for an internal count. <i>version internal</i> may only be a number.
version human	Human readable version number of the resource. This version number is visible to users. <i>version human</i> number may use numbers and/or words.
edition	Supported MagicDraw editions.
installation	<i>installation</i> includes files, which will be copied from the custom plug-in archive to the MagicDraw folder. IMPORTANT: Do not use "*"! If file name includes "*", when uninstalling the plug-in all defined files will be removed. For example if "samples/*" is defined, then uninstalling the resource will remove all files from the "samples" folder.

JYTHON SCRIPTING

MagicDraw allows you to access open API using Jython scripting language.

MagicDraw on every startup checks for scripts in `plugins/com.nomagic.magicdraw.jpython/scripts/`. If there are subdirectories each of them are scanned for the `script.xml` file. This file provides information about script in this directory. File is similar to plug-in descriptor described in plug-ins section (See “Plug-in descriptor” on page 13.). If `script.xml` contains valid information, script file specified in `script.xml` is executed. Script file should contain valid Jython **NEW!** 2.5.2 script.

NOTE For writing scripts the user should have basics of Jython programming language and be familiar with MagicDraw open API.

Creating script

In the following example we will create script which shows a message on MagicDraw startup.

To create script you need:

Step 1: Create directory

First of all a subdirectory in `plugins/com.nomagic.magicdraw.jpython/scripts/` should be created.

Step 2: Write script descriptor

Script descriptor is a file written in XML and named `script.xml`. Script descriptor provides information about script file to run, version of script, ID, etc.

In the mentioned directory, create `script.xml` file:

```
<?xml version="1.0" encoding="UTF-8"?>
<script
  id="example 1"
  name="Simple menu item"
  version="1.0"
  provider-name="No Magic"
  script-file="main.py"
  requiresApi="1.0">
</script>
```

In the table below, you will find the detailed *script.xml* file structure.

Element	Description	
script	Attributes	
	Name	Description
	id	Scrip ID, should be unique. Used to identify script. Example: "my.first.script.0"
	name	Script name. No strict rules applied to this attribute. Example: "Example script"
	version	Script version. Allows numbers separated with one dot value. Examples: "1.0", "0.1"
	provider-name	Script provider name. Company or author name. Example: "No Magic"
	script-file	Relative path to script file. This file will be executed. Example:"main.py"
	requires-api	MagicDraw API version required by script. Example:"1.0"


Step 3: Write script code

Then in the same directory, create *main.py* file:

```
from javax.swing import JOptionPane

# Script starts here
print "Starting script, descriptor", pluginDescriptor
JOptionPane.showMessageDialog( None, "I am a script!!!")
```

After saving files, restart MagicDraw. On MagicDraw startup message dialog should appear.



Variables passed to script

MagicDraw passes one variable to script pluginDescriptor. This variable contains information from parsed script.xml file. Variable is instance of PythonPluginDescriptor class.

PythonPluginDescriptor
+ getID() : String
+ getName() : String
+ getPluginDirectory() : File
+ getProvider() : String
+ getRequiresAPI() : String
+ getScriptFileName() : String
+ getVersion() : String
+ setID(id : String) : void
+ setName(name : String) : void
+ setPluginDirectory(directory : File) : void
+ setProvider(provider : String) : void
+ setRequiresAPI(version : String) : void
+ setScriptFileName(aScriptFile : String) : void
+ setVersion(version : String) : void
+ toString() : String

Script can retrieve script directory and other necessary information from pluginDescriptor variable. There is no need to change any other fields for this variable

Jython

Jython is an implementation of the high-level, dynamic, and object-oriented language Python which is seamlessly integrated with the Java platform.

Using Jython you may access all java API and MagicDraw open API. This allows to avoid compilation and to get the same results without java code. Using scripting you may do everything that you can achieve using java plug-in, and even more: you may change your code without recompiling and restarting an application.

More information about Jython you can find at <http://www.jython.org>

Information about python language you can find at <http://www.python.org/>


ADDING NEW FUNCTIONALITY

MagicDraw actions mechanism enables to add new functionality to MagicDraw and the way to invoke it through GUI.

Invoking Actions

Actions can be invoked from:

Main menu



Main toolbar






Diagram toolbar




Browser context menu



ADDING NEW FUNCTIONALITY

Creating a new action for MagicDraw

Diagram context menu	
Keyboard shortcuts	Action can not be represented in GUI. Create a new action and assign some keyboard shortcut for invoking it.

Creating a new action for MagicDraw

Step 1: Create new action class

All actions used in MagicDraw must be subclasses of [MDAction](#) class (see [JavaDoc](#) for more details).

The following [MDAction](#) subclasses that are used for basic purposes are already created in MagicDraw:

- [DefaultBrowserAction](#) – action class, used for browser action. Enables to access some browser tree and nodes. Recommended to use for performing some actions with the selected browser nodes.
- [DefaultDiagramAction](#) – action class for diagram action. Enables to access some diagram elements. Recommended to use when for performing some actions with the selected diagram elements.
- [PropertyAction](#) – action for changing some element or application property. Can be used for changing properties defined by user.

You must override at least [actionPerformed\(\)](#) method and implement in it what this actions is going to do.

Example1: simple action

```
class SimpleAction extends MDAction
{
    public SimpleAction(String id, String name)
    {
        super(id, name, null, null);
    }

    /**
     * Shows message.
     */
    public void actionPerformed(ActionEvent e)
    {
        JOptionPane.showMessageDialog(Application.getInstance().
            getMainFrame().getDialogParent(), "This is:" + getName());
    }
}
```

Example2: action for browser


```
public class BrowserAction extends DefaultBrowserAction
{
    /**
     * Creates action with name "ExampleAction"
     */
    public BrowserAction()
    {
        super("", "ExampleAction", null, null);
    }

    public void actionPerformed(ActionEvent e)
    {
        Tree tree = getTree();
        String text="Selected elements:";
        for (int i = 0; i < tree.getSelectedNodes().length; i++)
        {
            Node node = tree.getSelectedNodes()[i];
            Object userObject = node.getUserObject();
            if (userObject instanceof BaseElement)
            {
                BaseElement element = (BaseElement) userObject;
                text += "\n"+element.getHumanName();
            }
        }

        JOptionPane.showMessageDialog(MDDialogParentProvider.getProvider().getDialogParent
        (), text);
    }
}
```


Step 2: Specify action properties

Property	Function
ID	<p>ID is a unique String for identifying action. If action ID will be set to <i>null</i>, new ID will be generated.</p> <p>Action name can be used as ID.</p> <p>All MagicDraw default actions IDs are defined in ActionsID class (for more details, see JavaDoc).</p> <p>You can use these constants for accessing actions. Do not use it as new actions ID.</p>
Name	<p>Actions name will be visible in all GUI elements.</p>
Shortcut and mnemonic	<p>Every action can have assigned keyboard shortcut.</p> <p>Shortcuts can be customized from the Environment Options dialog box (see MagicDraw User Manual, Section "Environment Options".)</p> <p>NOTE Action must have some ID (not null), in other case, shortcuts cannot be restored after restarting an application.</p>
Icon	<p>Every action can have a small and large icon.</p> <p>Small icon is described as <code>javax.swing.Action.SMALL_ICON</code> and can be used in menu items.</p> <p>Large icon is used in toolbar buttons.</p> <p>Action for toolbar must have a large icon, otherwise it will be displayed as a button with an action name.</p>



```
// setting icon. Button with icon looks better than
// with text in toolbar.
```

```
action.setLargeIcon( new ImageIcon(
getClass().getResource("main_toolbar_icon.gif") ) );
```



Description Action's description will be shown as tool tip text.

Step 3: Describe enabling/disabling logic

There are two ways for controlling the updating of actions state:

1. Add action to predefined actions group.

Actions can be added into one of predefined actions groups (see **Actions groups** below). All actions of one group will be disabled/enabled together.

Conditions for groups enabling/disabling and status updating are predefined and cannot be changed.

Example:

```
MAction action = new MAction("Example", "Example", KeyEvent.VK_E,
ActionsGroups.PROJECT_OPENED_RELATED);
```

2. Implement [updateState\(\)](#) method for action.

Here you may describe all conditions when an action must be enabled and when disabled.

Example of `updateState()` method for some browser context menu action:

```
public void updateState()
{
    //action will be enabled only if there are some selected nodes.
    setEnabled(getTree().getSelectedNode() != null );
}
```

If action is not added to any group, [updateState\(\)](#) method for all such actions will be invoked after executing any command and after closing/opening project or window.

When some actions need to refresh their state, all actions without group can be updated manually:

```
ActionsStateUpdater.updateActionsState();
```

Step 4: Configure actions

Every action must be added into some [ActionsCategory](#).

[ActionsCategory](#) is a small group for actions. It can be represented as a separator or submenu (nested category).

Categories are added into [ActionsManager](#) which is some kind of actions container.

One [ActionsManager](#) represents one GUI element – menu bar, context menu, or toolbar.

Table below explains how MagicDraw classes maps into GUI elements.

	ActionsManager	Category	Action
Menu	Menu bar	Menu	Menu item
Toolbar	All toolbars	One toolbar	Button
Context Menu	Context menu	Submenu	Menu item

Actions in ActionsManagers are configured by many Configurators.

Configurator is responsible for adding or removing action into some strictly defined place and position between other actions.

There are three types of configurators:

- [AMConfigurator](#)
The configurator for general purpose. Used for menus, toolbars, browser, and diagrams shortcuts.
- [BrowserContextAMConfigurator](#)
Configurator for configuring managers for browser context (popup) menu. Can access browser tree and nodes.
- [DiagramContextAMConfigurator](#)
This configurator for configuring context menus in a diagram.
Can access diagram, selected diagram elements and element that requests context menu.

ActionsManagers for the main menu and all toolbars are created and configured once, so later actions can be only disabled but not removed.

Context menus are created on every invoking, so ActionsManagers are created and configured every time and actions can be added or removed every time.

Example 1: add some action into browser's context menu

```
final DefaultBrowserAction browserAction = ...
```

ADDING NEW FUNCTIONALITY

Creating a new action for MagicDraw

```
BrowserContextAMConfigurator brCfg = new BrowserContextAMConfigurator()
{
    // implement configuration.
    // Add or remove some actions in ActionsManager.
    // tree is passed as argument, provides ability to access nodes.
    public void configure(ActionsManager mngr, Tree browser)
    {
        // actions must be added into some category.
        // so create the new one, or add action into existing category.
        MDActionsCategory category = new MDActionsCategory("", "");
        category.addAction(browserAction);

        // add category into manager.
        // Category isn't displayed in context menu.
        mngr.addCategory(category);
    }
}

/**
 * Returns priority of this configurator.
 * All configurators are sorted by priority before configuration.
 * This is very important if one configurator expects actions from
 * other configurators.
 * In such case configurator must have lower priority than others.
 * @return priority of this configurator.
 * @see AMConfigurator.HIGH_PRIORITY
 * @see AMConfigurator.MEDIUM_PRIORITY
 * @see AMConfigurator.LOW_PRIORITY
 */
public int getPriority()
{
    return AMConfigurator.MEDIUM_PRIORITY;
}
};
```

Example 2: add some action into main menu, after creating a new project

```
// create some action.
final MDAction someAction = ...

AMConfigurator conf = new AMConfigurator()
{
    public void configure(ActionsManager mngr)
    {
        // searching for action after which insert should be done.
        NMAction found= mngr.getActionFor(ActionsID.NEW_PROJECT);

        // action found, inserting
        if( found != null )
        {
            // find category of "New Project" action.
            ActionsCategory category =
                (ActionsCategory)mngr.getActionParent(found);

            // get all actions from this category (menu).
            List actionsInCategory = category.getActions();

            //add action after "New Project" action.
            int indexOfFound = actionsInCategory.indexOf(found);
            actionsInCategory.add(indexOfFound+1, someAction);

            // set all actions.
            category.setActions(actionsInCategory);
        }
    }

    public int getPriority()
    {
        // ...
    }
};
```

ADDING NEW FUNCTIONALITY

Creating a new action for MagicDraw

```
{
    return AMConfigurator.MEDIUM_PRIORITY;
}
```

Step 5: Register configurator

All configurators are registered in [ActionsConfiguratorManager](#).

ActionsConfiguratorsManager enables to add or remove many configurators to every MagicDraw predefined configuration (see **Predefined actions configurations** table below.)


All available configurations are accessible in such a way:

```
ActionsConfiguratorsManager.getInstance().
add<configuration_name>Configurator(configurator);
```

Example: Add new configurator for CONTAINMENT_BROWSER_CONTEXT configuration.

```
//see examples above, how to create configurator for browser actions.
//add configurator into ActionsConfiguratorsManager.
ActionsConfiguratorsManager.getInstance().
addContainmentBrowserContextConfigurator(brCfg);
```


Actions hierarchy



Predefined actions configurations

MAIN_MENU

MAIN_TOOLBAR

MAIN_SHORTCUTS

CUSTOMIZABLE_SHORTCUTS

CONTAINMENT_BROWSER_CONTEXT

CONTAINMENT_BROWSER_SHORTCUTS

CONTAINMENT_BROWSER_TOOLBAR

INHERITANCE_BROWSER_CONTEXT

INHERITANCE_BROWSER_SHORTCUTS

INHERITANCE_BROWSER_TOOLBAR

DIAGRAMS_BROWSER_SHORTCUTS

DIAGRAMS_BROWSER_TOOLBAR

EXTENSIONS_BROWSER_CONTEXT

EXTENSIONS_BROWSER_SHORTCUTS

EXTENSIONS_BROWSER_TOOLBAR

SEARCH_BROWSER_CONTEXT

SEARCH_BROWSER_SHORTCUTS

SEARCH_BROWSER_TOOLBAR

NEW! Selecting elements via element Selection dialog

```
// Use ElementSelectionDlgFactory.create(...) methods to create element selection
// dialog.
Frame dialogParent = MDDialogParentProvider.getProvider().getDialogParent();
ElementSelectionDlg dlg = ElementSelectionDlgFactory.create(dialogParent);

// Use ElementSelectionDlgFactory.initSingle(...) methods to initialize the dialog
// with single element selection mode.
ElementSelectionDlgFactory.initSingle(...);

// Use ElementSelectionDlgFactory.initMultiple(...) methods to initialize the
// dialog with multiple element selection mode.
ElementSelectionDlgFactory.initMultiple(...);

// Display dialog for the user to select elements.
dlg.show();

// Check if the user has clicked "Ok".
if (dlg.isOkClicked())
{
    // Get selected element in single selection mode.
    BaseElement selected = dlg.getSelectedElement();

    // Get selected elements in multiple selection mode.
    BaseElement selected = dlg.getSelectedElements();
}
```

UML MODEL


MagicDraw UML model is an implementation of OMG UML 2.3 metamodel. We do not provide very detail description of all UML metamodel elements and their properties in this documentation or javadoc. You can find all this information in UML 2.3 superstructure specification at:

<http://www.omg.org/technology/documents/formal/uml.htm>

<http://www.omg.org/cgi-bin/doc?formal/07-02-05>

You should use UML model interfaces from package `com.nomagic.uml2.ext.magicdraw.**`


The base interface of all model classes is [Element](#), implements [BaseElement](#) interface.



All structure, derived from Element you can see in OMG-UML2.3 Superstructure Specification.

All attributes described in UML specification are implemented and accessible through setters and getters.

Project



[Project](#) represents main storage of all project data like: main [Package](#) ([Model](#)) and all diagrams.


Multiple projects can be opened at the same time.

Active (current) project can be accessible in the following way:

```
Project project = Application.getInstance().getProject();
```

Also [Project](#) is accessible for any other [Element](#):

```
Project project = Project.getProject(element);
```



Project keeps references to root [Model](#), also has references to all diagrams.

Root Model

The whole model of one project is contained in a [Model](#) instance, accessible in the following way:

```
Model root = Application.getInstance().getProject().getModel();
```

Accessing Model Element properties

Model element properties can be accessed with simple setters, getters:

```
com.nomagic.uml2.ext.magicdraw.classes.mdkernel.NamedElement el = ...;
String name = el.getName();
el.setName("new name");
```

Container properties

Magicdraw uses composite structure of the model.

Every model element is a container and contains its own children and knows about its own parent.

Model element parent can be accessed with [Element.getOwner\(\)](#) method. Owned children can be received with method [Element.getOwnedElement\(\)](#)

Different types of children are stored in separate container properties.

You can access these container properties by names that are described in UML specification.

Method [getOwnedElement\(\)](#) collects all children from all inner container properties.

Container properties modification and iteration is straightforward using `java.util.Collection` interface.

Property change events are fired automatically when container properties are modified.

Containers implement subsets and unions constraints from UML metamodel specification. This explains how modification of one container can affect other containers. Make sure you understand subsets and unions in UML metamodel.

Some containers are read-only. This is true for all DERIVED UML metamodel properties. For example `Element.getOwnedElement()` is read-only. If you want to add some inner `Element` you need to add it into subset of `ownedElement` - for example for `Package.getOwnedPackageMember()`.

It is enough to set one UML meta-association property value and opposite property will be setted too. For example `Class` adding into `Package` can be done in two ways:

```
Class myclass = ...;
Package myPackage ...;
myClass.setOwner(myPackage);
```

or

```
myPackage.getOwnedPackageMember().add(myClass);
```

Accessing elements in container properties

Example : retrieving child model elements.

```
Element el = ...;
if (el.hasOwnedElement())
{
    for (Iterator it = el.getOwnedElement().iterator(); it.hasNext();)
    {
        Element ownedElement = (Element) it.next();
    }
}
```

NOTE: `get<property name>()` method call for empty container property instantiates empty collection. This leads to increased memory usage.

So before iterating check if container property is not empty with method `has <property name>()`.

Adding elements into container

```
modelElement.get<SomeContainer>().add(child);

modelElement.get<SomeContainer>().remove(child);
```

Collecting all children from all hierarchy levels

Here is an example of how to collect all children from [Element](#) and avoid recursion, using simple *for* cycle:


```
ArrayList children = new ArrayList();
Element current = ...
children.add(current);

// if current element has children, list will be increased.
for (int i = 0; i < children.size(); i++)
{
    current = (Element) children.get(i);

    // add all children into end of this list, so it emulates recursion.
    children.addAll(current.getOwnedElement());
}
```

Visitors

Every [Element](#) has `accept()` method for visiting it in Visitors (for more details about this mechanism, see [Visitor](#) pattern.)



[Visitor](#) has *visit..* method for all types of model elements and presentation elements.

This is very useful when you are working with large collection of ModelElements and need to perform actions, specific for every type of [Element](#) (for example save/load, copy/paste, or specific properties setting).

Just derive your class from [InheritanceVisitor](#) and override some *visit..* methods.

Example of how to visit a group of ModelElements:

```

Visitor myVisitor = new Visitor()
{
    // override some visit methods ...
};

Model root = Application.getInstance().getProject().getModel();
Iterator it = root.getOwnedElement().iterator();
while (it.hasNext())
{
    ((Element)it.next()).accept(myVisitor);
}

```

InheritanceVisitor

[InheritanceVisitor](#) is an enhanced implementation of [Visitor](#) pattern and a subclass of Visitor, used for visiting model elements and presentation elements.

Every *visit..* method calls *visit..* method for super type.


For example you can put some code into `visitClassifier()` and it will be executed for all subclasses of a [Classifier](#).

Model elements *visit...* methods has additional context parameter of type VisitorContext. Visitor context is used to track what super type *visit...* methods were already visited (to avoid, multiple visits because some model ele-

ments have multiple inheritance). Open API users should not work with visitor context. All tracking is done in InheritanceVisitor and Visitor classes.

Changing UML model

SessionManager



[SessionManager](#) is the singleton manager used for editing model Elements.

All modifications to model elements should be performed between [createSession\(sessionName\)](#) and [closeSession\(\)](#) method calls.

To edit some [Element](#), a session with this manager must be created.

After editing model element, a session must be closed. After that all changes will be applied to the model and registered in command history (for undo/redo) as one command with a session name.


Only one session can be active.

The following code can be used for accessing, checking and creating the session:

```
// access singleton instance by using getInstance()
// only one session can be active, so check this.
if (!SessionManager.getInstance().isSessionCreated())
{
    // create new session.
    SessionManager.getInstance().createSession();
}
```

If other session is already created and not closed, *createSession* method throws *IllegalStateException* runtime exception.

ModelElementsManager



[ModelElementsManager](#) is the singleton utility class for adding and removing *model* or moving them to other parents.

Also it helps to create different types of diagrams.

This manager can be used only if some session was created with [SessionManager](#).

[ModelElementsManager](#) performs additional checks before modification if element is not read only. Also check if element can be added to parent is performed. If [ModelElementsManager](#) is not used programmer must perform these checks in code explicitly.

Creating new model element

For creation of model element instances use [ElementsFactory](#) class.

`create<model element type>Instance()` method creates new model element instance .

To create model element, a session with [SessionManager](#) must be created.

All changes in UML model be registered and on session closing will be added into command history.

```
// creating new session
SessionManager.getInstance().createSession("Edit package A");

ElementsFactory f = Application.getInstance().getProject().getElementsFactory();

Package packageA = f.createPackageInstance();
...
// apply changes and add command into command history.
SessionManager.getInstance().closeSession();
```

Editing model element

To edit some `ModelElement`, a session with [SessionManager](#) must be created.

All changes in UML model will be registered and on session closing will be added into command history.

```
// creating new session
SessionManager.getInstance().createSession("Edit class A");

if (classA.isEditable())
{
    classA.setName(newName);
}
...

// apply changes and add command into command history.
SessionManager.getInstance().closeSession();
```

It is programmer responsibility to ensure that modified model element is not read only. To check if model element is read only use [Element.isEditable\(\)](#) method.

Adding new model element or moving it to another parent

For adding new model [Element](#) into a model, use `addModelElement(child, parent)` method provided by [ModelElementsManager](#).

This manager can be used only if some session was created with [SessionManager](#)

```
ElementsFactory f = Application.getInstance().getProject().getElementsFactory();

Class classA = f.createClassInstance();
```



```
// create new session
SessionManager.getInstance().createSession("Add class into package");
try
{
    // add class into package
    ModelElementsManager.getInstance().addElement(classA, package);
}
catch (ReadOnlyElementException e)
{
}

// apply changes and add command into command history.
SessionManager.getInstance().closeSession();
```

If given model element cannot be added into a given parent, *IllegalArgumentException* is thrown.

For example [Operation](#) cannot be added into [Package](#) or [Operation](#) cannot be added into not locked for editing [Class](#) (in the teamwork project).

If element or parent is null, *IllegalArgumentException* also is thrown.

If given element is not editable (read-only), [ReadOnlyElementException](#) is thrown.

Alternative way to add new model element without using [ModelElementsManager](#):

```
Element parent = ...;
ElementsFactory f = Application.getInstance().getProject().getElementsFactory();

Class classA = f.createClassInstance();

// create new session
SessionManager.getInstance().createSession("Add class into parent");
if (parent.canAdd(classA))
{
    classA.setOwner(parent);
}

// apply changes and add command into command history.
SessionManager.getInstance().closeSession();
```

Removing model element

```
Class classA = ...;

// create new session
SessionManager.getInstance().createSession("Remove class");
try
{
    // remove class
    ModelElementsManager.getInstance().removeElement(classA);
}
catch (ReadOnlyElementException e)
{
}

// apply changes and add command into command history.
SessionManager.getInstance().closeSession();
```

Alternative way to remove model element without using [ModelElementsManager](#):

```
Class classA = ...;

// create new session
```

```
SessionManager.getInstance().createSession("Remove class");
if (classA.isEditable())
{
    classA.dispose();
}

// apply changes and add command into command history.
SessionManager.getInstance().closeSession();
```

NEW! Refactoring model elements

To refactor an element in a model, use the Refactoring class.

Example 1: Converting an element to an interface

```
Element elementToConvert = ...;
SessionManager sessionManager = SessionManager.getInstance();
sessionManager.createSession("Convert");

// Converts the element to an interface.
ConvertElementInfo info = new ConvertElementInfo(Interface.class);

// Preserves the old element ID for the new element.
info.setPreserveElementID(true);

Element conversionTarget = Refactoring.Converting.convert(elementToConvert, info);

sessionManager.closeSession();
```

Example 2: Replacing an element with another element

```
Element elementToReplace = ...;

SessionManager sessionManager = SessionManager.getInstance();
sessionManager.createSession("Replace");

ConvertElementInfo info = new ConvertElementInfo(elementToReplace.getClassType());
info.setConvertOnlyIncomingReferences(true);

Refactoring.Replacing.replace(element, elementToReplace, info);

sessionManager.closeSession();
```

Creating Diagram

Example how to create and add to parent element:

```
Project project = Application.getInstance().getProject();
Namespace parent = project.getModel();

// create new session
SessionManager.getInstance().createSession("Create and add diagram");

try
{
    //class diagram is created and added to parent model element
    Diagram diagram = ModelElementsManager.getInstance().
createDiagram(DiagramTypeConstants.UML_CLASS_DIAGRAM, parent);

    //open diagram
    project.getDiagram(diagram).open();
}
catch (ReadOnlyElementException e)
{
}
}
```

```
// apply changes and add command into command history.  
SessionManager.getInstance().closeSession();
```

Creating new Relationship object

Model element is relationship if it implements one of the following interfaces: [Relationship](#), [ActivityEdge](#), [Transition](#), [ExceptionHandler](#), [Connector](#).

For checking if model element is relationship call [ModelHelper.isRelationship\(element\)](#) method.

For getting supplier and client elements of relationship use [ModelHelper.getSupplierElement\(\)](#), [ModelHelper.getClientElement\(\)](#) methods.

Use [ModelHelper.setSupplierElement\(\)](#), [ModelHelper.setClientElement\(\)](#) methods to set supplier and client elements of relationship.

Steps to create a new Relationship

1. Create a new relationship model element.
2. Set client and supplier ModelElements by using [ModelHelper.setSupplierElement\(\)](#), [ModelHelper.setClientElement\(\)](#) methods.
3. Add new relationship into some parent by using [ModelElementsManager.addElement\(\)](#).

NEW! Copying elements and symbols

You can copy model elements and symbols either to another location in the same project or to another project. This must be done in the same session.

There are two modes of making copies:

- Deep copying (with new data)
- Shallow copying (with reused data)

Example 1: Copying an element

```
Element element = ...; // Element to copy/paste.  
Element parent = ...; // Parent to which the element has to be pasted: either the  
same project or another project.  
  
SessionManager sessionManager = SessionManager.getInstance();  
sessionManager.createSession("Clone");  
  
// 3rd parameter indicates whether element name uniqueness should be preserved in  
the parent.  
CopyPasting.copyPasteElement(element, parent, true);  
  
sessionManager.closeSession();
```

Example 2: Copying multiple elements and symbols

```
List elements = ...; // Elements to copy/paste.  
List views = ...; // Symbols to copy/paste.  
Element parent = ...; // Parent to which elements should be pasted: either the same  
project or another project.  
  
BaseElement symbolParent = ...; // Parent to which symbols should be pasted.  
  
SessionManager sessionManager = SessionManager.getInstance();  
sessionManager.createSession("Clone");
```

```
// 4th parameter indicates whether deep or shallow copy is applied.
// 5th parameter indicates whether element name uniqueness should be preserved in
the parent.
List baseElements = CopyPasting.copyPasteElements(views, parent, symbolParent,
true, true);

sessionManager.closeSession();
```

Working with Stereotypes and Tagged Values

UML metamodel implementation itself does not provide a way to assign stereotypes and tags directly to Elements. UML metamodel implementation in MagicDraw provides pretty complex mapping - every UML Element can have an Instance of assigned Stereotypes. It is stored as Element.appliedStereotypeInstance property. Slots of this instance are TaggedValues.

We provide a helper class StereotypesHelper for hiding this mapping complexity . It has set of useful methods for assigning, unassigning stereotypes and creating TaggedValues. Keep in mind that TaggedValues in this helper class are called Slots.

StereotypesHelper have a lot methods for working with stereotypes.

Example: Creating stereotype, applying to element and then setting tag

```
ElementsFactory elementsFactory = project.getElementsFactory();

// create profile
Profile profile = elementsFactory.createProfileInstance();
profile.setName("myProfile");
ModelElementsManager.getInstance().addElement(profile, project.getModel());

// get metaclass "Class"
com.nomagic.uml2.ext.magicdraw.classes.mdkernel.Class metaClass =
    StereotypesHelper.getMetaClassByName(project, "Class");

// create stereotype, stereotypes will be applicable to classes
Stereotype stereotype = StereotypesHelper.createStereotype(profile,
    "myStereotype", Arrays.asList(metaClass));

// create tag definition
Property property = elementsFactory.createPropertyInstance();
ModelElementsManager.getInstance().addElement(property, stereotype);
// tag name
property.setName("myTag");
// tag type is String
Classifier typeString = ModelHelper.findDataTypeFor(project, "String");
property.setType(typeString);

if (StereotypesHelper.canApplyStereotype(element, stereotype))
{
    // apply stereotype
    StereotypesHelper.addStereotype(element, stereotype);
    // set tag value
    StereotypesHelper.setStereotypePropertyValue(element, stereotype,
        "myTag", "myTagValue");
}
```

Example: Retrieving tag values

```
// find profile
```

```

Profile profile = StereotypesHelper.getProfile(project, "myProfile");
// find stereotype
Stereotype stereotype = StereotypesHelper.getStereotype(project,
                                                    "myStereotype", profile);

// get stereotyped elements
List stereotypedElements =
    StereotypesHelper.getExtendedElements(stereotype);
for (int i = stereotypedElements.size() - 1; i >= 0; --i)
{
    // stereotyped element
    Element element = (Element) stereotypedElements.get(i);
    if (stereotype.hasOwnedAttribute())
    {
        // get tags - stereotype attributes
        List<Property> attributes = stereotype.getOwnedAttribute();
        for (int j = 0; j < attributes.size(); ++j)
        {
            Property tagDef = attributes.get(j);
            // get tag value
            List value = StereotypesHelper.getStereotypePropertyValue(
                element, stereotype, tagDef.getName());
            for (int k = 0; k < value.size(); ++k)
            {
                // tag value
                Object tagValue = (Object) value.get(j);
            }
        }
    }
}

```

For more information, see javadoc of StereotypesHelper class.

Hyperlinks

Hyperlinks are implemented using stereotypes and tag values. Stereotype "HyperlinkOwner" and the following its properties (tags):

- hyperlinkText - all simple hyperlinks
- hyperlinkTextActive - active simple hyperlink
- hyperlinkModel - all hyperlinks to model element
- hyperlinkModelActive - active hyperlink to model element

Example: Retrieving hyperlinks

```

// get stereotype
Stereotype stereotype = StereotypesHelper.getStereotype(
    Project.getProject(element), "HyperlinkOwner");

// get hyperlinked elements
List modelValues = StereotypesHelper.getStereotypePropertyValue(element,
    stereotype, "hyperlinkModel");
for (int i = modelValues.size() - 1; i >= 0; --i)
{
    Element linkedElement = (Element) modelValues.get(i);
}

// active hyperlink
Object activeLinkedElement = StereotypesHelper.getStereotypePropertyFirst(
    element, stereotype, "hyperlinkModelActive");

// get hyperlinked elements
List textValues = StereotypesHelper.getStereotypePropertyValue(element,
    stereotype, "hyperlinkText");
for (int i = textValues.size() - 1; i >= 0; --i)

```

```
{
    String link = (String) textValues.get(i);
}

// active hyperlink
Object activeLink = StereotypesHelper.getStereotypePropertyFirst(element,
                                                                stereotype, "hyperlinkTextActive");
```

Example: Setting hyperlinks

```
Project project = Project.getProject(element);

// get stereotype
Stereotype stereotype = StereotypesHelper.getStereotype(project,
                                                         "HyperlinkOwner");

// apply stereotype
StereotypesHelper.addStereotype(element, stereotype);

// add hyperlinks
StereotypesHelper.setStereotypePropertyValue(element, stereotype,
                                             "hyperlinkModel", linkedElement, true);
StereotypesHelper.setStereotypePropertyValue(element, stereotype,
                                             "hyperlinkModel", activeLinkedElement, true);
String activeHttpLink = "http://www.magicdraw.com";
StereotypesHelper.setStereotypePropertyValue(element, stereotype,
                                             "hyperlinkText", "http://www.nomagic.com", true);
StereotypesHelper.setStereotypePropertyValue(element, stereotype,
                                             "hyperlinkText", activeHttpLink, true);

// add active hyperlink - only one hyperlink can be active
if (modelActive)
{
    StereotypesHelper.setStereotypePropertyValue(element, stereotype,
                                                "hyperlinkModelActive", activeLinkedElement, false);
}
else
{
    StereotypesHelper.setStereotypePropertyValue(element, stereotype,
                                                "hyperlinkTextActive", activeHttpLink, false);
}
```

PRESENTATION ELEMENTS


Presentation Element

UML semantic defines only UML metamodel. MagicDraw application has its own structure of classes for UML elements representation in the diagram. Base class of this structure is [PresentationElement](#).

A presentation element is a textual or graphical presentation of one or more model elements.

In the metamodel, a PresentationElement is the BaseElement that presents a set of model elements to a user. It is the base for all metaclasses used for presentation. All other metaclasses with this purpose are indirect subclasses of PresentationElement.

Current version of MagicDraw Open API provides just a basic structure of presentation elements.




Every presentation element can have children. For example DiagramPresentationElement has a collection of inner presentation elements. PresentationElement of some Package can have a collection of presentation elements for inner Package elements.

Use [PresentationElementsManager](#) to create/modify/delete inner presentation elements of the diagram.

Current version PresentationElement API allows you to:

- Access element bounds ([PresentationElement.getBounds](#) method).
- Access children of the element ([PresentationElement.getPresentationElements](#) method).
- Access properties of the element ([PresentationElement.getProperty](#) and [PresentationElement.getPropertyManager](#) methods). The sample of properties would be **Suppress Operations** property for class presentation element, **Autosize** property for any ShapeElement.
- Access model Element of presentation element ([PresentationElement.getElement](#) method). Presentation element can have no ModelElement, for example TextBox.

- Select/unselect or access selection state of the presentation element.



A subclass of presentation elements [PathConnector](#) provides information about connected paths to the presentation element. To get a collection of connected paths to the presentation element, use method [PathConnector.getConnectedPathElements\(\)](#).

Using set and sSet


There are two types of setters for [PresentationElement](#) properties:

1. *set...* setters set some value and fire *PropertyChangeEvent*. Use *set...* only if you need that [PresentationElement](#) of this data in diagrams must be updated immediately.
2. Setters with *sSet...* name are "simple setters" used for silent property changing. Use "simple setters" when you edit a group of properties. All changes will be applied and dependent elements will be notified on session close.

The same rules are for *add*, *sAddPresentationElement* and *remove*, *sRemovePresentationElement* accessories. The same naming rules are used in all Magicdraw.

Diagram Presentation Element

The purpose of this presentation element is to encapsulate all other presentation elements used in some Diagram.



- To get a collection of inner presentation elements, use [PresentationElement.getPresentationElements](#) method. This method will return only direct children of the diagram.
- To open a diagram in the MagicDraw UI, call [DiagramPresentationElement.open](#).
- To create/modify/delete inner presentation elements of the diagram, use [PresentationElementsManager](#).
- To layout diagram, use: [DiagramPresentationElement.layout](#)
NOTE: make sure diagram is opened before doing layout.

Shapes

ShapeElement
(com.nomagic.magicdraw.uml.symbols.shapes)
+accept(visitor : Visitor) : void

Shapes are presentation elements created for such model elements as classes, packages, models, subsystems and others.

Paths

PathElement
+accept(visitor : Visitor) : void
+getAllBreakPoints() : List
+getBreakPoints() : List
+getClient() : PresentationElement
+getClientPoint() : Point
+getSupplier() : PresentationElement
+getSupplierPoint() : Point
+isConnectable(supplier : PresentationElement, client : PresentationElement) : boolean

Paths are presentation elements created for such model elements as Relationships.

Path has the following attributes:

- **Supplier** – the presentation element of Relationship supplier. Use method [PathElement.getSupplier](#) to access this element.
- **Client** – the presentation element of Relationship client. Use method [PathElement.getClient](#) to access this element.
- **Supplier point** - the connection point of path and supplier element. Use method [PathElement.getSupplierPoint](#) to access this point.
- **Client point** – the connection point of path and client element. Use method [PathElement.getClientPoint](#) to access this point.
- **Break points** – a list of path breaking points between supplier and client points. This list can be empty if path is straight. Use method [PathElement.getBreakPoints](#) to access this list.

Presentation Elements Manager

Presentation elements' classes provides just getters for properties. You need to use PresentationElementsManager if you want to change the properties/attributes of the presentation element. The same manager is used for creating presentation elements and adding them into diagrams.

PresentationElementsManager can be used only inside the created session with [SessionsManager](#). If session is not created, IllegalStateException is thrown.

PRESENTATION ELEMENTS

Presentation Elements Manager

PresentationElementsManager can be used only in already loaded and active project. In other cases, results can be unpredictable.

```
PresentationElementsManager  
(com.nomagic.magicdraw.openapi.uml)  
  
<<getter>>+getInstance():PresentationElementsManager  
+createShapeElement(element:Element,parent:PresentationElement):ShapeElement  
+createPathElement(path:Element,client:PresentationElement,supplier:PresentationElement):PathElement  
+deletePresentationElement(element:PresentationElement):void  
+reshapeShapeElement(element:ShapeElement,newBounds:Rectangle):void  
+changePathBreakPoints(element:PathElement,newBreakPoints:List):void  
+resetLabelPositions(element:PathElement):void  
<<setter>>+setPresentationElementProperties(element:PresentationElement,properties:PropertyManager):void  
...
```

PresentationElementsManager is implemented as a singleton. Use method [PresentationElementsManager.getInstance](#) to get a shared instance of this manager.

Creating shape element

To create a ShapeElement for given ModelElement in the given DiagramPresentationElement, use method [PresentationElementsManager.createShapeElement](#). The location of the created shape will be (0,0).

The following code snippet shows how to do this:

```
com.nomagic.uml2.ext.magicdraw.classes.mdkernel.Class clazz = ...;  
DiagramPresentationElement diagram = ...;  
SessionManager.getInstance().createSession("Test");  
ShapeElement shape =  
PresentationElementsManager.getInstance().createShapeElement(clazz, diagram);  
SessionManager.getInstance().closeSession();
```

Creating path element

To create a PathElement for given ModelLink between given client and supplier elements, use method [PresentationElementsManager.createPathElement](#):

```
com.nomagic.uml2.ext.magicdraw.classes.mddependencies.Dependency link = ...;  
PresentationElement clientPE = ...;  
PresentationElement supplierPE = ...;  
SessionManager.getInstance().createSession("Test");  
PathElement path =  
PresentationElementsManager.getInstance().createPathElement(link, clientPE,  
supplierPE);  
SessionManager.getInstance().closeSession();
```

The diagram is not passed into *createPathElement* method. A new path element is created in the same diagram as client or supplier presentation elements.

Reshaping shape element

To change bounds for the existing ShapeElement, use method [PresentationElementsManager.reshapeShapeElement](#):

```
ShapeElement element = ...;  
Rectangle newBounds = new Rectangle(100,100,80,50);  
SessionsManager.getInstance().createSession("Test");
```

```
PresentationsElementsManager.getInstance().reshapeShapeElement(element,
newBounds);
SessionsManager.getInstance().closeSession();
```

Every shape element has a preferred size. Shape size cannot be smaller than the preferred size. If you will try to set smaller bounds, these bounds will be increased to the preferred size.

If shape has **Autosize** property set to TRUE, bounds will be reduced to the preferred size.

Changing path break points

To change a break points list for the given path element, use method [PresentationElementsManager.changeBreakPoints](#). The same method must be used if you want to change client or supplier connection point.

The following code snippet shows how to do this:

```
PathElement element = ...;
ArrayList points = new ArrayList();
points.add(new Point(100, 100));
points.add(new Point(100, 150));
SessionsManager.getInstance().createSession("Test");
PresentationsElementsManager.getInstance().changePathBreakPoints(element, points);
SessionsManager.getInstance().closeSession();
```

The order of points in the list must be from the supplier to client connection point. The list may or may not include the client and supplier connection points.

At first the given points list will be adopted for the current path style (Rectilinear, Bezier. or Oblique) and only then applied for the path.

Deleting presentation element

To remove the given PresentationElement from the diagram, use method [PresentationElementsManager.deletePresentationElement](#):

```
PresentationElement element = ...;
SessionsManager.getInstance().createSession("Test");
PresentationsElementsManager.getInstance().removePresentationElement(element);
SessionsManager.getInstance().closeSession();
```

All related presentation elements - all children and connected paths - will be removed too.

Changing properties of presentation element

Most of presentation elements can have properties (for example **Autosize** for shapes or **Path Style** for paths).

- To check if element has some properties (or uses properties from its parent), use method [PresentationElement.useParentProperties](#).
- To get all properties of this element, use method [PresentationElement.getPropertyManager](#).
- To get property of this element with given ID, use method [PresentationElement.getProperty](#).
- To change element properties, use method [PresentationElementsManager.setPresentationElementProperties](#). The given PropertyManager can have only few element's properties (for example just properties you want to change).

The following code snippet shows how to change element properties:

PRESENTATION ELEMENTS

Notification of Presentation Element draw

```
ShapeElement element = ...;
PropertyManager properties = new PropertyManager();
properties.addProperty(new BooleanProperty(PropertyID.AUTOSIZE, true));
SessionsManager.getInstance().createSession("Test");
PresentationsElementsManager.getInstance().setPresentationElementProperties(element, properties);
SessionsManager.getInstance().closeSession();
```

The properties must be new instances. You cannot do something like this:

```
ShapeElement element = ...;
PropertyManager properties = element.getPropertyManager().
properties.getProperty(PropertyID.AUTOSIZE).setValue(new Boolean(true));
SessionsManager.getInstance().createSession("Test");
PresentationsElementsManager.getInstance().setPresentationElementProperties(element, properties);
SessionsManager.getInstance().closeSession();
```

The ids of all used properties are defined in class PropertyID.

Notification of Presentation Element draw

SymbolDrawNotification notifies when presentation element is drawn (added to diagram):

```
// element removal listener
final PropertyChangeListener removeListener = new PropertyChangeListener()
{
    public void propertyChange(PropertyChangeEvent evt)
    {
        if (ExtendedPropertyNames.REMOVE.equals(evt.getPropertyName()))
        {
            // symbol removed
        }
    }
};

// element drawing listener
SymbolDrawListener symbolDrawListener = new SymbolDrawListener()
{
    public void symbolAdded(DiagramPresentationElement diagram,
                           PresentationElement symbol,
                           String actionID)
    {
        // sybmbol added
        // register listener
        symbol.addPropertyChangeListener(removeListener);
    }
};

// register draw listener
SymbolDrawNotification symbolDrawNotification =
    SymbolDrawNotification.getSymbolDrawNotification(project);
symbolDrawNotification.addSymbolDrawListener(symbolDrawListener);
```

NEW! Displaying Related Symbols

MagicDraw allows displaying symbols that are related to a given symbol via relationships. The `DisplayRelatedSymbols` class provides API methods for this. Using this class you can control any of the following behaviors for displaying related symbols logic:

- What relationship types should be included.
- Depth of a relationship tree.
- Whether or not existing symbols should be reused.

Example: Displaying related generalizations and interface realizations

```
SessionManager sessionManager = SessionManager.getInstance();
sessionManager.createSession("Display related");

Set linkTypes = new HashSet();
linkTypes.add(new LinkType(Generalization.class));
linkTypes.add(new LinkType(InterfaceRealization.class));

DisplayRelatedSymbolsInfo info = new DisplayRelatedSymbolsInfo(linkTypes);
info.setDepthLimited(true);
info.setDepthLimit(3);

PresentationElement view = ...; // A symbol for which you need to invoke the
displaying related symbols action.

DisplayRelatedSymbols.displayRelatedSymbols(view, info);

sessionManager.closeSession();
```

SYMBOLS RENDERING

The custom symbol rendering API allows modifying the default symbol view. This API includes:

1. Renderer provider API, which allows to provide a custom renderer for the specific symbol.
2. Renderers, which can modify the default symbol appearance.

In this chapter, we will review, how to register the specific symbol views provider and give the example covering the custom renderers for the package, slots, and dependency link symbols.

TIP! You can find the code examples in <MagicDraw installation directory>\openapi\examples\symbolrendering folder.

Custom Renderer Provider

A `PresentationElementRendererProvider` class is an object, which provides custom symbol renderer for a given presentation element. This provider must be registered into the `PresentationElementRendererManager`.




Figure 8 -- Abstract interface of the `PresentationElementRendererProvider`

The main method of the `PresentationElementRendererProvider` is “`getRenderer(presentationElement)`”. This method provides a specific renderer for the given `presentationElement` (Symbol) or null.

Registering Provider

To make your provider start working, you must register it into the `PresentationElementRendererManager`. To add your provider into the custom providers list, use the following method:

```
PresentationElementRendererManager.getInstance().addProvider(new  
RendererProvider());
```

Custom Symbol Renderer

The `PresentationElementRenderer` class provides API methods, which can be customized to a provide custom symbol view for the specific presentation elements.




Figure 9 -- Abstract class of the Presentation Element Renderer Class, by default extended with specific renderers for path symbols (PathRenderer) and for shape symbols (ShapeRenderer)

Custom Renderers Sample

This example will cover:

- **A custom renderer for the package.**
The package without inner elements is filled with green color.
- **A custom renderer for the slot.**
The slot values are rounded.
- **A custom renderer for the dependency link.**
The dependency link is a blue thicker line with custom line ends.

Creating Custom Renderers

This example shows, how to create custom renderers for the above described symbols.

The custom package renderer - the empty package (i.e., without inner elements) is filled with green color:

```

class PackageRenderer extends ShapeRenderer
{
    public Color getColor(PresentationElement presentationElement,
PresentationElementColorEnum colorEnum)
    {
        if (PresentationElementColorEnum.FILL.equals(colorEnum))
        {
            // color to fill
            Element element = presentationElement.getElement();
            if (element instanceof
com.nomagic.uml2.ext.magicdraw.classes.mdkernel.Package &&
!((com.nomagic.uml2.ext.magicdraw.classes.mdkernel.Package)
element).hasOwnedElement())
            {
                // package has no elements - use green color to fill
                return Color.GREEN;
            }
        }
        return super.getColor(presentationElement, colorEnum);
    }
}
  
```

SYMBOLS RENDERING

Custom Renderers Sample

```
}
```

The custom slot renderer (used in instance specification symbol) - the slot values are rounded:

```
class SlotRenderer extends ShapeRenderer
{
    public String getText(PresentationElement presentationElement,
PresentationElementTextEnum textEnum)
    {
        if (PresentationElementTextEnum.NAME.equals(textEnum))
        {
            // the slot text is shown as name
            Element element = presentationElement.getElement();
            if (element instanceof Slot)
            {
                Slot slot = (Slot) element;
                if (slot.hasValue())
                {
                    String string = "";
                    List<ValueSpecification> values = slot.getValue();
                    for (ValueSpecification value : values)
                    {
                        if (value instanceof LiteralString)
                        {
                            LiteralString literalString =
(LiteralString) value;

                            if (string.length() > 0)
                            {
                                string += "; ";
                            }
                            String literalValue =
literalString.getValue();

                            try
                            {
                                // round value
                                double doubleValue =
Double.parseDouble(literalValue);

                                double rounded =
Math.round(doubleValue * 100) / 100;

                                literalValue =
Double.toString(rounded);
                            }
                            catch (NumberFormatException e)
                            {
                            }
                            string += literalValue;
                        }
                    }

                    return slot.getDefiningFeature().getName() + "=" +
string;
                }
            }
        }
        return super.getText(presentationElement, textEnum);
    }
}
```

The custom dependency link renderer - the dependency link is a blue thicker line with custom line ends:

```
class DependencyRenderer extends PathRenderer
{
    private PathEndRenderer mClientEndRenderer;

    DependencyRenderer()
    {
    }
}
```


SYMBOLS RENDERING

Custom Renderers Sample

```
{
    // custom client end renderer - use filled circle at the end
    mClientEndRenderer = new PathEndRenderer(PathEndAdornment.CIRCLE,
PathEndAdornmentModifier.FILLED);
}

public Color getColor(PresentationElement presentationElement,
PresentationElementColorEnum colorEnum)
{
    if (PresentationElementColorEnum.LINE.equals(colorEnum))
    {
        // use blue color for line
        return Color.BLUE;
    }
    return super.getColor(presentationElement, colorEnum);
}

protected PathEndRenderer getClientEndRenderer(PathElement pathElement)
{
    // use custom end renderer
    return mClientEndRenderer;
}

public int getLineWidth(PresentationElement presentationElement)
{
    // line width is 2
    return 2;
}

protected void drawPathAdornment(Graphics g, PathElement pathElement)
{
    super.drawPathAdornment(g, pathElement);

    // draw circle at the middle of the dependency line
    Color background = Color.WHITE;
    Property property = pathElement.getDiagramPresentationElement()
        .getProperty(PropertyID.DIAGRAM_BACKGROUND_COLOR);
    if (property != null)
    {
        Object value = property.getValue();
        if (value instanceof Color)
        {
            background = (Color) value;
        }
    }
    Point middlePoint = pathElement.getMiddlePoint();
    int diameter = 10;
    int radius = diameter / 2;
    int x = middlePoint.x - radius;
    int y = middlePoint.y - radius;

    Color color = g.getColor();
    g.setColor(background);
    g.fillOval(x, y, diameter, diameter);
    g.setColor(color);
    g.drawOval(x, y, diameter, diameter);
}
}
```

Registering Custom Symbol Renderer Provider

The example below shows the custom symbol renderer provider, which provides the SlotRenderer for slot, the PackageRenderer for package, and the DependencyRenderer for dependency symbols. The created renderer provider must be registered into the PresentationElementRendererManager.

Step 1. Creating the `RendererProvider` class

```
/**
 * Custom renderers provider.
 */
class RendererProvider implements PresentationElementRendererProvider
{
    private SlotRenderer mSlotRenderer;
    private DependencyRenderer mDependencyRenderer;
    private PackageRenderer mPackageRenderer;

    RendererProvider()
    {
        mSlotRenderer = new SlotRenderer();
        mDependencyRenderer = new DependencyRenderer();
        mPackageRenderer = new PackageRenderer();
    }

    public PresentationElementRenderer getRenderer(PresentationElement
presentationElement)
    {
        if (presentationElement instanceof SlotView || presentationElement
instanceof SlotListElementView)
        {
            // slot renderer
            return mSlotRenderer;
        }

        if (presentationElement instanceof DependencyView)
        {
            // dependency renderer
            return mDependencyRenderer;
        }

        if (presentationElement instanceof PackageView)
        {
            // package renderer
            return mPackageRenderer;
        }

        return null;
    }
};
```

Step 2. Registering `RendererProvider`

```
PresentationElementRendererManager.getInstance().addProvider(new
RendererProvider());
```

DIAGRAM EVENTS

NEW! Diagram Listener Adapter

MagicDraw provides an API to listen to all diagram changes in a single adapter, which works in the following order:

1. Receives events from all *opened* diagrams.
2. Delegates these events to your own listener.

NOTE The adapter works in a project scope.

To listen to diagram change events, you need to create the DiagramListenerAdapter object, i.e., pass the property change listener as a delegator, which will receive all events.

To create the DiagramListenerAdapter object, call:

```
new DiagramListenerAdapter(propertyChangeListener)
```

The DiagramListenerAdapter object is registered for a project on its creation.

To start using the adapter, install it. Uninstall it when it is no longer necessary, i.e., you do not need to receive any events about diagram changes anymore.

Example: Listening to symbol creation / removal

```
DiagramListenerAdapter adapter = new DiagramListenerAdapter(new
PropertyChangeListener()
{
    public void propertyChange(PropertyChangeEvent evt)
    {
        String propertyName = evt.getPropertyName();
        if (ExtendedPropertyNames.VIEW_ADDED.equals(propertyName) ||
            ExtendedPropertyNames.VIEW_REMOVED.equals(propertyName))
        {
            // added / removed symbol
            PresentationElement presentationElement = (PresentationElement)
            evt.getNewValue();
        }
    }
});

adapter.install(project);

// When the adapter is no longer needed, uninstall it.
adapter.uninstall(project);
```


PATTERNS

MagicDraw provides API for applying some design pattern for the selected classifier (pattern's target). Pattern can modify a target classifier or even the whole model. It also can create presentation elements in the target diagram.

Pattern's functionality is implemented in a separate MagicDraw plug-in. ID of this plug-in is *com.nomagic.magicdraw.plugins.impl.patterns*. Usually specific patterns must be added into MagicDraw application as separate plugins.

Target concept

Pattern's target encapsulates information about classifier you want to apply pattern for.



Target owns:

- classifier
- classifier's presentation element
- diagram of presentation element

Target is passed to pattern's method [AbstractPattern.applyPattern](#). It is also accessible from pattern's properties `AbstractPatternProperties`.

Using PatternHelper

Open API provides a helper class [PatternHelper](#) with useful methods for patterns.

For more details about methods of this class, see [javadoc](#).

Abstract Pattern

Every implementation of specific pattern must provide:

- Pattern properties
- Pattern panels
- Pattern implementation

This information is encapsulated in [PatternInfo](#) class.

PatternInfo (com.nomagic.magicdraw.plugins.impl.patterns)
<pre>+configureForTarget(target : Target) : void +getDescriptionAsStream() : InputStream +getPanelContainer() : AbstractPanelContainer +getPattern() : AbstractPattern +getPatternName() : String +getPatternProperties() : AbstractPatternProperties +PatternInfo(pattern : AbstractPattern, panel : AbstractPanelContainer, properties : AbstractPatternProperties, descriptionResource : String)</pre>

PatternInfo is used only for pattern registration in the [PatternsManager](#). Other usages are internal and do not impact specific patterns.

Every pattern must provide main properties and optionally can have extended properties. Main properties are used for user input from the first pattern wizard page. Extended properties may be used for storing user input from other wizard pages.

AbstractPatternProperties (com.nomagic.magicdraw.plugins.impl.patterns)
<pre>+AbstractPatternProperties() #configureExtendedPropertyManager() : void #configurePropertyManager() : void +getExtendedPropertyManager() : PropertyManager +getPropertyManager() : PropertyManager +getTarget() : Target +setTarget(target : Target) : void</pre>

Specific pattern must provide implementation of this abstract class and override [AbstractPatternProperties.configurePropertyManager](#) method. If specific pattern has some extended properties, it must override [AbstractPatternProperties.configureExtendedPropertyManager](#) method. Both these methods must configure some property manager – add or remove properties from it.

Every pattern must provide one or more panels for the patterns wizard. First wizard page is always used for displaying main pattern properties. Other pages are optional and may be pattern specific. [AbstractPanelContainer](#) class is used for providing the following information:

AbstractPanelContainer (com.nomagic.magicdraw.plugins.impl.patterns)
<pre>+applyChangesToProperties(properties : AbstractPatternProperties) : void +getAdditionalPanel(index : int) : JComponent +getAdditionalPanelCount() : int +getPropertiesPanel() : JComponent #setBorder(comp : JComponent) : JPanel +setPatternProperties(properties : AbstractPatternProperties) : void</pre>

Specific pattern must provide pattern implementation class. This class must extend [AbstractPattern](#) and implement [AbstractPattern.applyPattern](#) and [AbstractPattern.getCategorizedName](#) methods.

AbstractPattern
<pre>+applyPattern(target : Target, prop : AbstractPatternProperties) : void +getCategorizedName() : String[]</pre>

How to create my own pattern

This chapter will give an example of a simple pattern for adding method into the target classifier. The pattern will allow to edit method name in the **Pattern Wizard**. Pattern will be added as a plug-in into MagicDraw.

Step 1: Create pattern properties class

MyPattern will have only two main properties for displaying not editable target classifier name and for entering the method name.

```
package com.nomagic.magicdraw.plugins.impl.examples.mypatterns;

import com.nomagic.magicdraw.plugins.impl.patterns.AbstractPatternProperties;
import com.nomagic.magicdraw.properties.StringProperty;
import com.nomagic.magicdraw.properties.PropertyManager;

public class MyPatternProperties extends AbstractPatternProperties
{
    public static final String TARGET_CLASS = "TARGET_CLASS";
    public static final String METHOD_NAME = "METHOD_NAME ";

    /**
     * Add two properties into main properties manager.
     */
    protected void configurePropertyManager()
    {
        StringProperty p = new StringProperty(TARGET_CLASS,
getTarget().getTargetClassifier().getName());
        p.setResourceProvider(MyResourceProvider.getInstance());
        p.setEditable(false);
        PropertyManager properties = getPropertyManager();
        properties.addProperty(p);

        p = new StringProperty(METHOD_NAME, "method");
        p.setResourceProvider(MyResourceProvider.getInstance());
        properties.addProperty(p);
    }
}
```

MyPattern does not have extended properties, so we do not override *configureExtendedPropertyManager* method.

Names of MagicDraw properties can be translated into other languages, so they are not hard coded inside the properties. To get property name from property ID, PropertyResourceProvider is used.

We will write a simple [PropertyResourceProvider](#) for our pattern's properties.

```
package com.nomagic.magicdraw.plugins.impl.examples.mypatterns;
import com.nomagic.magicdraw.properties.PropertyResourceProvider;
public class MyResourceProvider implements PropertyResourceProvider
{
    /**
     * Instance of this provider.
     */
    private static MyResourceProvider mInstance;

    /**
     * Returns shared instance of this provider.
     * @return shared instance.
     */
    public static MyResourceProvider getInstance()
    {
        if(mInstance == null)
        {
```

```

        mInstance = new MyResourceProvider();
    }
    return mInstance;
}

/**
 * Returns resource for given key.
 * @param key a resource key.
 * @return the resource for given key.
 */
public String getString(String key)
{
    if(key.equals(MyPatternProperties.METHOD_NAME))
    {
        return "Method Name";
    }
    else
    if(key.equals(MyPatternProperties.TARGET_CLASS))
    {
        return "Target Class";
    }
    return null;
}
}

```

Step 2: Create pattern panels class

MagicDraw API provides the default implementation of [AbstractPanelContainer](#) for patterns without extended properties (just with the main properties panel). This is the [PatternPropertiesPanel](#) class. MyPattern will use this class. Other patterns may extend [AbstractPanelContainer](#) and implement/override corresponding methods.

Step 3: Create pattern class

Now we have MyPattern properties and panels. We need just pattern implementation:

```

package com.nomagic.magicdraw.plugins.impl.examples.mypatterns;

import com.nomagic.magicdraw.core.Application;
import com.nomagic.magicdraw.openapi.uml.ReadOnlyElementException;
import com.nomagic.magicdraw.plugins.impl.patterns.AbstractPattern;
import com.nomagic.magicdraw.plugins.impl.patterns.AbstractPatternProperties;
import com.nomagic.magicdraw.plugins.impl.patterns.PatternHelper;
import com.nomagic.magicdraw.plugins.impl.patterns.Target;
import com.nomagic.magicdraw.properties.PropertyManager;
import com.nomagic.uml2.ext.magicdraw.classes.mdkernel.Operation;
import com.nomagic.uml2.impl.ElementsFactory;

public class MyPattern extends AbstractPattern
{
    /**
     * Returns the categorized name of the pattern.
     * @return name of the pattern {"Common", "MyPattern"}.
     */
    public String[] getCategorizedName()
    {
        return new String[]{"Common", "My Pattern"};
    }

    /**
     * Applies design pattern to the target, using properties, passed as an
     argument.
     * @param target Target, the pattern is applied for.

```

```

    * @param prop the pattern properties.
    */
    public void applyPattern(Target target, AbstractPatternProperties prop) throws
    ReadOnlyElementException
    {
        PropertyManager propManager = prop.getPropertyManager();
        String methodName =
propManager.getProperty(MyPatternProperties.METHOD_NAME).getValue().toString();
        ElementsFactory ef =
Application.getInstance().getProject().getElementsFactory();
        Operation op = ef.createOperationInstance();
        op.setName(methodName);
        PatternHelper.addDistinctOperation(target.getTargetClassifier(), op);
    }
}

```

Step 4: Create Description.html

Every pattern may provide some html file with pattern description. We will provide such Description.html:

```

<h2>MyPatern</h2>
<h3>Intent</h3>

```

Add method into a classifier.

Description.html file must be in the same package as MyPattern class.

Step 5: Create plug-in

Create class MyPatternPlugin.

```

package com.nomagic.magicdraw.plugins.impl.examples.mypatterns;

import com.nomagic.magicdraw.plugins.Plugin;
import
com.nomagic.magicdraw.plugins.impl.patterns.impl.common.PatternPropertiesPanel;
import com.nomagic.magicdraw.plugins.impl.patterns.PatternInfo;
import com.nomagic.magicdraw.plugins.impl.patterns.PatternsManager;

public class MyPatternPlugin extends Plugin
{
    /**
     * Init this plugin.
     * Register MyPlugin in PluginsManager here.
     */
    public void init()
    {
        PatternsManager.getInstance().addPattern(new PatternInfo(new
MyPattern(),
                                                                    new
PatternPropertiesPanel(),
                                                                    new
MyPatternProperties(),
"Description.html"));
    }

    /**
     * Close this plugin always.
     * @return false always
     */
    public boolean close()
    {
        return true;
    }
}

```



```
    }

    /**
     * @see com.nomagic.magicdraw.plugins.Plugin#isSupported()
     */
    public boolean isSupported()
    {
        return true;
    }
}
```

Pattern must be registered in the PatternsManager with [PatternsManager.addPattern](#) method.

Also we need to provide plugin.xml for this plug-in.

```
<?xml version="1.0" encoding="UTF-8"?>
<plugin
  id="mypatterns.MyPattern"
  name="My Pattern"
  version="1.0"
  provider-name="No Magic"

  class="com.nomagic.magicdraw.plugins.impl.examples.mypatterns.MyPatternPlugin">

  <requires>
    <api version="1.0"/>
    <required-plugin id="com.nomagic.magicdraw.plugins.impl.patterns"/>
  </requires>

  <runtime>
    <library name="mypatterns.jar"/>
  </runtime>
</plugin>
```


Compile all classes and bundle them into mypatterns.jar file. Also add Description.html into this jar file.

Create subfolder *mypatterns* in the *<MagicDraw install>/plugins* directory and copy *mypatterns.jar* and *plugin.xml* into it.

For more details how to deploy plug-in, see Plugins chapter.

PROPERTIES

MagicDraw Open API provides a set of classes used as properties for diagrams' symbols and design patterns.




Every property has two major attributes – ID and value. Property has value of type `java.lang.Object`. Every specific property has value of specific type. For example value of `BooleanProperty` is `java.lang.Boolean`, value of `StringProperty` is `java.lang.String`.

Property ID identifies specific property in the properties set.

Every property has specific editor for editing value of the property. For example `BooleanProperty` is edited with `javax.swing.JCheckBox` component, `ChoiceProperty` with `javax.swing.JComboBox`, `StringProperty` with `javax.swing.JTextField`.

You may provide your own `PropertyEditor` for some specific property editing. In order to do this you need to override `Property.createEditor` method.



You must set some `PropertyResourceProvider` to your property instance in order to display normal name, not id of the property in the MagicDraw UI. `PropertyResourceProvider` has just one method `PropertyResourceProvider.getString(key)`, where `key` is id of your property.

PROPERTIES

The collections of properties are grouped by PropertyManagers. Every PropertyManager has name and list of properties. It can return property by id, properties with the same value, properties whose values are different.

PropertyManager
<code>-mName : String</code> <code>-mProperties : List</code> <code>-@PROPERTY_ID_COMPARATOR : Comparator = new Comparator()</code>
<code>+accept(visitor : PropertyVisitor) : void</code> <code>+addProperty(prop : Property) : void</code> <code>+append(manager : PropertyManager) : void</code> <code>+append(properties : List) : void</code> <code>+apply(manager : PropertyManager) : void</code> <code>+apply(col : Collection) : void</code> <code>+clone() : Object</code> <code>+distinct(properties : List) : List</code> <code>+distinct(man : PropertyManager) : void</code> <code>+getClassType() : String</code> <code>+getName() : String</code> <code>+getOrderedProperties() : List</code> <code>+getProperties() : List</code> <code>+getProperty(id : String) : Property</code> <code>+leaveTheSame(manager : PropertyManager) : void</code> <code>+leaveTheSame(manager : PropertyManager, makeUndefined : boolean) : void</code> <code>+propertyChange(e : PropertyChangeEvent) : void</code> <code>+PropertyManager()</code> <code>+PropertyManager(name : String, properties : List)</code> <code>+removeProperty(id : String) : void</code> <code>+removeProperty(prop : Property) : void</code> <code>+setName(name : String) : void</code> <code>+setProperties(prop : List) : void</code> <code>+toString() : String</code>

For more details about every specific kind of property see javadoc.

NEW DIAGRAM TYPES

There are two groups of the diagrams in MagicDraw – creatable and not creatable. Only the diagrams of creatable type can be created (instantiated). Not creatable diagram serves as the base for other types of diagrams.

MagicDraw has 13 predefined types of diagrams (9 creatable and 4 not).

Creatable diagrams are:


- Class
- Use Case
- Communication
- Sequence
- State Machine
- Protocol State Machine
- Activity
- Implementation
- Composite Structure

Not creatable diagram:

- Interaction
- Behavior
- Any
- Static

Communication and Sequence diagrams are subdiagrams of the Interaction diagram. Activity, Interaction, State Machine and Protocol State Machine diagram are subdiagram of the Behavior diagram.

Diagram Types hierarchy



The only way to add a new diagram type in MagicDraw is to extend one of the already existing diagram types and register it. This mechanism is described below.

Adding a new diagram type for MagicDraw

Step 1. Override abstract DiagramDescriptor class

DiagramDescriptor
<pre> +getDiagramActions() : MDAActionsManager +getDiagramContextConfigurator() : DiagramContextAMConfigurator +getDiagramShortcutsConfigurator() : AMConfigurator +getDiagramToolbarConfigurator() : AMConfigurator +getDiagramTypeId() : String +getLargeIcon() : ImageIcon +getPluralDiagramTypeHumanName() : String +getSingularDiagramTypeHumanName() : String +getSmallIconURL() : URL +getSuperType() : String +isCreatable() : boolean </pre>

Override abstract class DiagramDescriptor and implement abstract methods:

- [getDiagramTypeId\(\)](#) – this method must return a diagram type id, which is used to identify the diagram,
- [getSingularDiagramTypeHumanName\(\)](#) – method returns diagram type human name.
- [getPluralDiagramTypeHumanName\(\)](#) – method returns diagram type human name in plural form.
- [getSuperType\(\)](#) – this method must return a super type (super diagram) of this diagram type.

- [isCreatable\(\)](#) – returns flag indicating if this diagram type will be creatable.
- [getLargeIcon\(\)](#) – returns a large icon for this type of the diagram (see Chapter "Adding New Functionality.").
- [getSmallIconURL\(\)](#) – returns a small icon URL for this type of the diagram (see Chapter "Adding New Functionality.").
- [getDiagramActions\(\)](#) – returns manager of actions used in the diagram.
- [getDiagramToolbarConfigurator\(\)](#) – returns action manager configurator which configures described diagram toolbar (see Chapter "Adding New Functionality.").
- [getDiagramShortcutsConfigurator\(\)](#) – returns action manager configurator which configures described diagram shortcuts (see Chapter "Adding New Functionality.").
- [getDiagramContextConfigurator\(\)](#) – returns action manager configurator which configures described diagram context menu actions(see Chapter "Adding New Functionality.").

Example 1: example diagram descriptor (see OpenAPI examples for the full source code)

```
/**
 * Descriptor of specific diagram.
 */
public class SpecificDiagramDescriptor extends DiagramDescriptor
{
    public static final String SPECIFIC_DIAGRAM = "Specific Diagram";

    /**
     * Let this diagram type be a sub type of class diagram type.
     */
    public String getSuperType()
    {
        return DiagramType.UML_CLASS_DIAGRAM;
    }

    /**
     * This is creatable diagram.
     */
    public boolean isCreatable()
    {
        return true;
    }

    /**
     * Actions used in this diagram.
     */
    public MDActionsManager getDiagramActions()
    {
        return SpecificDiagramActions.ACTIONS;
    }

    /**
     * Configurator for diagram toolbar.
     */
    public AMConfigurator getDiagramToolbarConfigurator()
    {
        return new SpecificDiagramToolbarConfigurator();
    }

    /**
     * Configurator for diagram shortcuts.
     */
    public AMConfigurator getDiagramShortcutsConfigurator()
    {
        return new ClassDiagramShortcutsConfigurator();
    }
}
```

```

/**
 * Configurator for diagram context menu.
 */
public DiagramContextAMConfigurator getDiagramContextConfigurator()
{
    return new BaseDiagramContextAMConfigurator();
}

/**
 * Id of the diagram type.
 */
public String getDiagramTypeId()
{
    return SPECIFIC_DIAGRAM;
}

/**
 * Diagram type human name.
 */
public String getSingularDiagramTypeHumanName()
{
    return "Specific Diagram";
}

/**
 * Diagram type human name in plural form.
 */
public String getPluralDiagramTypeHumanName()
{
    return "Specific Diagrams";
}

/**
 * Large icon for diagram.
 */
public ImageIcon getLargeIcon()
{
    return new ImageIconProxy(new VectorImageIconControler(getClass(),
"icons/specificdiagram.svg", VectorImageIconControler.SVG));
}

/**
 * URL to small icon for diagram.
 */
public URL getSmallIconURL()
{
    return getClass().getResource("icons/specificdiagram.svg");
}
}

```

Step 2. Register new diagram type in the application

The new diagram descriptor should be registered in MagicDraw using [addNewDiagramType\(DiagramDescriptor\)](#) method of the [Application](#). This method can be invoked when plug-in is initialized (see Chapter "Plug-Ins.").

Example 1: example diagram descriptor registration (see OpenAPI examples for the full source code)

```

class SpecificDiagramPlugin extends Plugin
{
    /**
     * Initializing the plugin.
     */
    public void init()
    {
        // registering new diagram type
    }
}

```

NEW DIAGRAM TYPES

```
        Application.getInstance().addNewDiagramType(new
SpecificDiagramDescriptor());
    }

    /**
    * Return true always,
    * because this plugin does not have any close specific actions.
    */
    public boolean close()
    {
        return true;
    }


    /**
    * Return true always,
    * because this plugin does not
    * have any specific suportability conditions.
    */
    public boolean isSupported()
    {
        return true;
    }
}
```


PROJECTS MANAGEMENT


ProjectsManager

A project is the fundamental MagicDraw data structure. Project includes all UML model and diagrams.

ProjectsManager class is responsible for containment and management of projects.



```
ProjectsManager projectsManager = Application.getInstance().getProjectsManager();
```



ProjectsManager provides API for Project creating, closing, saving, loading, and activating.

MagicDraw can have multiple opened projects, but only one project can be active.

```
//gets all projects
List projects = projectsManager.getProjects();

//gets active project
Project activeProject = projectsManager.getActiveProject();
```


Active project can also be accessed directly from Application:

```
//gets active project
Project project = Application.getInstance().getProject();
```

ProjectDescriptor

ProjectDescriptor represents a project (and module) as a resource for storing and loading.

The same project can have multiple ProjectDescriptors.



There are two types of **ProjectDescriptors**:

- **Local project descriptor**
Represents a local ordinary project. A descriptor can be created for a project or file object.
- **Remote project descriptor**
Represents a project stored in the Teamwork Server.

NOTE. Teamwork Project has both descriptors (local and remote) because it can be saved locally.

Every ProjectDescriptor provides properties:

- **URI**
Location is some specific String value that holds all information that is needed to access a project.
- **Representation String**
Representation String is used for a project identification in user interface (GUI).
- **Remote flag**
Remote flag indicates if the project descriptor represents teamwork project.

ProjectDescriptorsFactory and TeamworkUtils

ProjectDescriptorsFactory can create appropriate ProjectDescriptor object, TeamworkUtils helps to find an existing teamwork (remote) project descriptors.

Project management

Projects are saved and loaded by using two methods in ProjectsManager class.

- saveProject(ProjectDescriptor descriptor, boolean silent)
- loadProject(ProjectDescriptor descriptor, boolean silent)

NOTES “Save” and “Load” means “Commit” and “Update” for the Teamwork Project.

A project cannot be saved using descriptor, if project isn’t specified and a project cannot be loaded, if file isn’t specified. In such cases IllegalStateException is thrown.

Silent mode means that during save or load process no GUI interruptions for user input will be used, e.g. no **Commit Project** dialog box while committing a teamwork project or no **Save** dialog box while saving a new project (project will be saved into the last used directory).

Example: Saving active project

```

ProjectsManager projectsManager = Application.getInstance().getProjectsManager();
// active project
Project project = projectsManager.getActiveProject();
// get project descriptor
  
```

PROJECTS MANAGEMENT

ProjectDescriptor

```
ProjectDescriptor projectDescriptor =
ProjectDescriptorsFactory.getDescriptorForProject (project) ;
// save project
projectsManager.saveProject (projectDescriptor, true) ;
```

Example: Loading project from file

Project can be loaded, if project's file name is known:

```
ProjectsManager projectsManager = Application.getInstance().getProjectsManager() ;
File file = new File(projectFilePath) ;
// create project descriptor
ProjectDescriptor projectDescriptor =
ProjectDescriptorsFactory.createProjectDescriptor (file.toURI()) ;
projectsManager.loadProject (projectDescriptor, true) ;
```

Example: Importing another MagicDraw project file

Project can be imported, if project's file name is known:

```
ProjectsManager projectsManager = Application.getInstance().getProjectsManager() ;
File file = new File(projectFilePath) ;
// create project descriptor
ProjectDescriptor projectDescriptor =
ProjectDescriptorsFactory.createProjectDescriptor (file.toURI()) ;
projectsManager.importProject (projectDescriptor) ;
```

Example: Loading teamwork project

Project can be loaded, if project's qualified name is known:

```
ProjectsManager projectsManager = Application.getInstance().getProjectsManager() ;
// create project descriptor
ProjectDescriptor projectDescriptor = TeamworkUtils

.getRemoteProjectDescriptorByQualified_name (remoteProjectQualified_name) ;
if (projectDescriptor != null)
{
    projectsManager.loadProject (projectDescriptor, true) ;
}
```

Module management

ProjectsManager also provides module management (module usage, export, import, reload, and package sharing) methods.

Example: Exporting local module

Collection of project packages can be exported as module.

```
ProjectsManager projectsManager = Application.getInstance().getProjectsManager() ;
File file = new File(moduleFilePath) ;
ProjectDescriptor projectDescriptor =
ProjectDescriptorsFactory.createProjectDescriptor (file.toURI()) ;
// export collection of packages as module
projectsManager.exportModule (project, packages, "My local module",
projectDescriptor) ;
```

Example: Exporting teamwork module

TeamworkUtils class is used to export teamwork module.

```
TeamworkUtils.exportTeamworkModule(project, packages, "My remote module",
remoteProjectQualifiedName);
```

Example: Using module

Local and teamwork module usage does not differs. Just appropriate project descriptor must be used:

```
ProjectsManager projectsManager = Application.getInstance().getProjectsManager();
File file = new File(moduleFilePath);
ProjectDescriptor projectDescriptor =
ProjectDescriptorsFactory.createProjectDescriptor(file.toURI());
// use module
projectsManager.useModule(project, projectDescriptor);
```

Example: Importing module

Local and teamwork module import does not differs. Just appropriate project descriptor must be used:

```
ProjectsManager projectsManager = Application.getInstance().getProjectsManager();
File file = new File(moduleFilePath);
ProjectDescriptor projectDescriptor =
ProjectDescriptorsFactory.createProjectDescriptor(file.toURI());
projectsManager.importModule(project, projectDescriptor);
```

Example: Reloading module

Local and teamwork module reload does not differs. Just appropriate project descriptor must be used:

```
ProjectsManager projectsManager =
Application.getInstance().getProjectsManager();
File file = new File(moduleFilePath);
ProjectDescriptor projectDescriptor =
ProjectDescriptorsFactory.createProjectDescriptor(file.toURI());
projectsManager.reloadModule(project, projectDescriptor);
```

Example: Package sharing

```
ProjectsManager projectsManager =
Application.getInstance().getProjectsManager();
SessionManager.getInstance().createSession("Create shared package");

// create package to share
Package aPackage =
project.getElementsFactory().createPackageInstance();
aPackage.setOwner(project.getModel());
aPackage.setName("myShare");
SessionManager.getInstance().closeSession();

// share package
projectsManager.sharePackage(project, Arrays.asList(aPackage), "my
module");

// save project
ProjectDescriptor projectDescriptor =
ProjectDescriptorsFactory.getDescriptorForProject(project);
projectsManager.saveProject(projectDescriptor, true);
```

NOTE ModuleDescriptor allows to access/change some module properties, like accessibility, load mode.

Example: Editing module within project

```
ProjectsManager projectsManager =
Application.getInstance().getProjectsManager();
    File file = new File(moduleFilePath);
    ProjectDescriptor projectDescriptor =
ProjectDescriptorsFactory.createProjectDescriptor(file.toURI());

    // find module
    ModuleDescriptor moduleDescriptor =
projectsManager.findModule(project, projectDescriptor);
    if (moduleDescriptor != null)
    {
        boolean editable = moduleDescriptor.isEditable();
        if (!editable)
        {
            // make module editable (read-write accessibility mode)
            moduleDescriptor.setEditable(true);
        }

        // get first shared module package
        MountInfo mountInfo = (MountInfo)
moduleDescriptor.getMounts().iterator().next();
        Package aPackage = (Package)
project.getElementByID(mountInfo.getMountPointID());

        // create class in module
        SessionManager.getInstance().createSession("Create use case in
module");
        Class aCase =
Project.getProject(aPackage).getElementsFactory().createClassInstance();
        aCase.setOwner(aPackage);
        aCase.setName("myClass");
        SessionManager.getInstance().closeSession();

        // save module
        projectsManager.saveModule(moduleDescriptor, true);
        if (!editable)
        {
            // make module not editable (read-only accessibility mode)
            moduleDescriptor.setEditable(false);
        }
    }
}
```

PROJECT OPTIONS

MagicDraw UML provides the API for adding the custom project options. These options are project related and saved together with project data. In this chapter, we will describe how to add a new property and how to retrieve its value.

Adding Own Project Options

A project contains options with the ability to add new properties.

The following example shows, how to add the above mentioned project option's configurator at the plug-in's `init()` method in order to have the additional project option "Test Property" for every project.

```
ProjectOptions.addConfigurator(new ProjectOptionsConfigurator()
{
    public void configure(ProjectOptions projectOptions)
    {
        com.nomagic.magicdraw.properties.Property property =
projectOptions.getProperty(ProjectOptions.PROJECT_GENERAL_PROPERTIES,
                            "TEST_PROPERTY_ID");
        if (property == null)
        {
            // create property, if does not exist
            property = new StringProperty("TEST_PROPERTY_ID", "description");
            // group
            property.setGroup("MY_GROUP");
            // custom resource provider
            property.setResourceProvider(new PropertyResourceProvider()
            {
                public String getString(String string, Property property)
                {
                    if ("TEST_PROPERTY_ID".equals(string))
                    {
                        // translate ID
                        return "Test Property";
                    }
                    if ("TEST_PROPERTY_ID_DESCRIPTION".equals(string))
                    {
                        // translate description
                        return "Test Property in My Group";
                    }
                    if ("MY_GROUP".equals(string))
                    {
                        // translate group
                        return "My Group";
                    }
                }
            });
            // add property
        }
    }
});
projectOptions.addProperty(ProjectOptions.PROJECT_GENERAL_PROPERTIES, property);
});
```

Retrieving Project Option Value

The following example shows how to access project option's value:

```
Property property =  
project.getOptions().getProperty(ProjectOptions.PROJECT_GENERAL_PROPERTIES,  
"TEST_PROPERTY_ID");  
    if (property != null)  
    {  
        Object value = property.getValue();  
    }
```

NEW! ENVIRONMENT OPTIONS

Adding Custom Environment Options

Application-related options are referred to as environment options. They are saved in the *global.opt* file that is located in <user home directory>\.magicdraw\<version number>\data.

You can add custom environment options for MagicDraw.

To add your own environment options

1. Extend the `AbstractPropertyOptionsGroup` class.
2. Add the extending class to application environment options.

Example: Adding custom environment options

```
class MyOptionsGroup extends AbstractPropertyOptionsGroup
{
    ...
}
```

```
Application application = Application.getInstance();
EnvironmentOptions options = application.getEnvironmentOptions();
options.addGroup(new ExampleOptionsGroup());
```


EVENT SUPPORT

MagicDraw UML provides the API for listening to the events, while changing a model. There is a possibility either to get an event immediately after the property has been changed, or get the event about all the changes in the transaction, after this transaction has been executed.

There are four different listener registration types :

- **Whole repository listener.** You will get events about the changes in all the elements.
- **Specific element listener.** You will get events about the changes in any property of this element.
- **Element's specific property listener.** You will get events about the changes of this property.
- **Specific element type listener.** You will get events about the changes in all the elements of the specific type .

The transaction listener is notified, when all the changes within the transaction are done and the transaction is closed.

TIP! You can find the code examples in <MagicDraw installation directory>\openapi\examples\events.

Property Change Events

Each PropertyChangeListener receives the PropertyChangeEvent.

In order to understand, which property has been changed and how it was done, let's review a short explanation of the PropertyChangeEvent.

The main properties of the PropertyChangeEvent:

- **Property name.** The changed property name.
- **New value.** The changed property value.
- **Old value.** The old property value, which was before the property change.




Figure 10 -- Class of the PropertyChangeEvent

Property Names in MagicDraw

All UML property names are stored in the **com.nomagic.uml2.impl.PropertyNames** class. Use this class, when you need to listen for UML specific elements' properties.

The **com.nomagic.magicdraw.uml.ExtendedPropertyNames** class has additional property names, mostly dedicated for diagrams/ symbols.

The events' names related with model creation/ deletion are listed in the **com.nomagic.uml2.ext.jmi.UML2MetamodelConstants** class.

An example of the element's name change event:

```
PropertyChangeEvent.getPropertyName() == PropertyNames.NAME;  
PropertyChangeEvent.getNewValue() will be new name of element;  
PropertyChangeEvent.getOldValue() will be name of element before change.
```

An example of the new element creation event:

```
PropertyChangeEvent.getPropertyName() == UML2MetamodelConstants.INSTANCE_CREATED;  
PropertyChangeEvent.getNewValue() will be new created element;  
PropertyChangeEvent.getOldValue() will be null.
```

Listening to Property Change Events

The PropertyChangeEvents support provides the ability to listen to the event by different scopes. The scope depends on how the listener is registered:

- If the listener is registered at the whole repository, it receives events about the changes in all the elements.
- If the listener is registered at the specific element, it receives events about the changes in any property of this element.
- If the listener registered with the specific property at the element, it receives events about the changes in this property.
- If the listener is registered with the specific property for the element type, it receives events about the changes in all the elements of the specific type.

The PropertyChangeListener should be registered to receive these events.

There are several different ways to register a listener:

To listen for the whole repository, use:

```
project.getRepositoryListenerRegistry().addPropertyChangeListener(listener,  
(RefObject)null);
```

This listener will get all the property change events from any element.

To listen for any delete operation in the repository and get notified before the delete action is performed, use:

```
project.getRepositoryListenerRegistry().addPropertyChangeListener(listener,  
UML2MetamodelConstants.BEFORE_DELETE);
```

This listener will be notified, when any model element is set to be deleted.

To listen for any property changes of the specific element, use:

```
element.addPropertyChangeListener(listener);
```

This listener will be notified when any element property is changed.

To listen for any property changes of the specific element type, use:

```
project.getSmartEventSupport().registerConfig(aClass, configs, listener);
```

This listener will be notified, when any property of any element in the project with this type is changed. If “configs” is NULL, the listener will get all property change events.

NOTE**EventSupport could be disabled from event firing**

To check if it is enabled, use:

```
project.getRepository().getEventSupport().isEnabledEventFiring()
```

To stop/ start event firing, use:

```
project.getRepository().getEventSupport().setEnabledEventFiring(...)
```

Listening to Related Elements in Hierarchy Events

There is a possibility to listen for changes of the elements, which are somehow related with the given element. For example, we want to be notified, when element’s owner name is changed. The **SmartPropertyChangeListener** class is dedicated for the situations like this. The main idea of the solution is to provide the **SmartListenerConfig**, which will provide the chain of the property names to listen to.

The **SmartListenerConfig** class provides static methods for default configuration of property chains. This is useful, when listening for common property change events.

Use the **SmartPropertyChangeListener.createSmartPropertyListener(...)** to create and register such listener for the particular element, which will be notified with events provided by the **SmartListenerConfig**.

NOTE

If the listener is not needed anymore, unregister it using the **removePropertyChangeListener(...)** method.

Listening to Transaction Commit Events

The **TransactionCommitListener** is a special listener, which is notified when all changes inside a transaction are done and the transaction is closed.



```

classDiagram
    class TransactionCommitListener {
        +transactionCommitted(propertyChangeEvents : Collection<PropertyChangeEvent>) : Runnable
    }
  
```

Figure 11 -- Interface of **TransactionCommitListener**

The listener contains **transactionCommitted()** method, which provides a collection of all **PropertyChangeEvent**s that were executed in a transaction.

Event Listening Sample

Element’s Property Change Listening

These examples show, how to create the property change listeners to listen to the different kind of properties.

Listener for listening to the specific element’s any property changes:

```

element.addPropertyChangeListener(new PropertyChangeListener()
{
    public void propertyChange(PropertyChangeEvent evt)
    {
        // evt.getPropertyName() is Changed
    }
});

```

Listener for listening to the specific property (NAME) of the specific element:

```

element.addPropertyChangeListener(new PropertyChangeListener()
{
    public void propertyChange(PropertyChangeEvent evt)
    {
        if (PropertyNames.NAME.equals(evt.getPropertyName()))
        {
            // name is Changed
        }
    }
});

```

Listener for listening the specific property (NAME) of the specific element type (Classifier):

```

// create smartListenerConfig for Name property
SmartListenerConfig cfg = new SmartListenerConfig(PropertyNames.NAME);
List<SmartListenerConfig> configs = Collections.singletonList(cfg);

// create listener which will get notified of events.
PropertyChangeListener listener = new PropertyChangeListener()
{
    public void propertyChange(PropertyChangeEvent evt)
    {
        // evt.getPropertyName() is Changed
    }
};

// register everything into project's event support.
project.getSmartEventSupport().registerConfig(Classifier.class, configs, listener);

```

TransactionCommitListener

This example shows, how to create a transaction commit listener:

Create a custom transaction commit listener:

```

public class MyTransactionListener implements TransactionCommitListener
{
    public Runnable transactionCommitted(final Collection<PropertyChangeEvent>
events)
    {
        return new Runnable()
        {
            public void run()
            {
                for (PropertyChangeEvent event : events)
                {
                    if
(UML2MetamodelConstants.INSTANCE_CREATED.equals(event.getPropertyName()))
                    {
                        Object source = event.getSource();
                        if (source instanceof Property)
                        {
                            Property property = (Property) source;
                            Element owner = property.getOwner();
                            if (owner instanceof Classifier)
                            {

```

```
(Classifier) owner;

Classifier propertyOwner =
    propertyOwner
        .setName("Contains ("
+ propertyOwner.getAttribute().size() + ") attributes");
    }

// additionally for this Property we
register listener to listen for any property changes in this Element properties.
property.addPropertyChangeListener(new
DerivedValuePropertyChangeListener());
    }
}
};
}
```

This “transaction commit listener” checks, if new property is created in classifier and updates classifier’s (property owner) name. All changes are done in the same session.

Register the custom “transaction commit listener” into the project

```
MyTransactionListener transactionListener = new MyTransactionListener();

TransactionManager transactionManager = project.getRepository().getTransactionManager();

transactionManager.addTransactionCommitListener(transactionListener);
```

SELECTIONS MANAGEMENT

Selection in diagrams

Every PresentationElement can access selected elements or change their own selection status.

PresentationElement
+getSelected() : List +isSelected() : boolean +setAllSelected(select : boolean) : void +setSelected(select : boolean) : void +setSelected(elements : List) : void

Collecting selected elements

```
Project project = Application.getInstance().getProject();
DiagramPresentationElement diagram = project.getActiveDiagram();
List selected = diagram.getSelected();
```

Selection events

Selection changes fire PropertyChangeEvent.

To listen selection change events, PropertyChangeListener must be registered to Project:

```
Project prj = Application.getInstance().getProject();
prj.addPropertyChangeListener(new PropertyChangeListener()
{
    public void propertyChange(PropertyChangeEvent evt)
    {
        if (evt.getPropertyName().
equals(Project.SELECTION_CHANGED))
        {
            // was selected
            List old = (List)evt.getOldValue();

            //now selected
            List news = (List)evt.getNewValue();

            //do something
        }
    }
});
```

Selection in model browser

Model browser is based GUI part for displaying various model trees.

SELECTIONS MANAGEMENT

Selection in model browser

```
Browser browser = Application.getInstance().getMainFrame().getBrowser();
```

Browser
+getActiveTree() : BrowserTabTree
+getContainmentTree() : ContainmentTree
+getDiagramsTree() : DiagramsTree
+getExtensionsTree() : ExtensionsTree
+getInheritanceTree() : InheritanceTree
+getSearchResultsTree() : SearchResultsTree
...

Browser has five trees:

- containment
- diagrams
- inheritance
- extensions
- search results

Only one tree can be active:

```
Tree activeTree = browser.getActiveTree();
```

Every tree is based on Swing JTree and all manipulations can be done by using API provided by Swing:

```
JTree tree = activeTree.getTree();
```

Selected nodes are accessible in the following way:

```
Node[] nodes = activeTree.getSelectedNodes();
```

Node is derived from *DefaultMutableTreeNode* from *javax.swing.tree*

CREATING IMAGES

MagicDraw Open API provides class [com.nomagic.magicdraw.export.image.ImageExporter](#) for creating images from whole diagram or just part of it.

ImageExporter
<u>+@DXF : int = 3</u>
<u>+@EMF : int = 6</u>
<u>+@EPS : int = 4</u>
<u>+@JPEG : int = 0</u>
<u>+@PNG : int = 1</u>
<u>+@SVG : int = 5</u>
<u>+@WMF : int = 2</u>
<u>+export(diagram : DiagramPresentationElement, format : int, file : File) : Point</u>
<u>+export(diagram : DiagramPresentationElement, format : int, file : File, justSelected : boolean) : Point</u>

Image formats are predefined as constants in ImageExporter.

To create image from the whole diagram, use method *export(DiagramPresentationElement, int, File)*.

To create image from selected symbols in the diagram, use method *export(DiagramPresentationElement, int, File, boolean)*.

CREATING METRICS

Creating New Metric

In order to add new metrics you need to extend the Metric class and implement the following methods:

- `MetricResult calculateLocalMetricValue(ModelElement target);`
- `boolean acceptModelElement(BaseElement element);`

Implementing `calculateLocalMetricValue(ModelElement target)`

```
protected MetricResult calculateLocalMetricValue(BaseElement target)
{
    Collection stereotypes = StereotypesHelper.getStereotypes((Element) target);
    MetricResult result =
    new MetricResult(MetricResult.create(stereotypes.size()));

    return result;
}
```

In `calculateMetricValue` you should put the code that will calculate the local value for your metric. In the example it is calculating the number of stereotypes of the elements. This value can be used while calculating other modes than Local mode.

Implementing `acceptModelElement(BaseElement element)`

Example: Making the metric be calculated for elements of type Class.

```
public boolean acceptModelElement(BaseElement element)
{
    return element instanceof
    com.nomagic.uml2.ext.magicdraw.classes.mdkernel.Class;
}
```

While implementing `acceptModelElement(BaseElement element)` method, you have to check the type of elements you want your metrics to be calculated for. However you should restrict it to types of elements that can be shown in metrics results windows. Elements that can be displayed are Class, Interfaces, Diagrams, Packages, or Model packages.

You may check if the element is eligible to be show, using the method **`acceptElement(BaseElement element)`** from `MetricsManager` class.

`MetricsManager` class also has a **`acceptDiagramElement (BaseElement element)`** that verifies if the given element is a diagram element.

Metric class:

CREATING METRICS

Creating New Metric

<i>Metric</i>
<pre><<constructor>>+Metric(name : String, abbreviation : String, type : MetricType, id : String, metricValueType : int) +calculate(target : BaseElement, calculator : MetricsCalculator) : MetricResult #calculateLocalMetricValue(target : BaseElement) : MetricResult +acceptModelElement(element : BaseElement) : boolean +round(number : float) : int +addProperty(property) : void +addProperties(properties : Collection) : void +removeProperties(properties : Collection) : void +removeProperty(property) : void <<getter>>#isCounted(target : BaseElement) : boolean <<getter>>+getMetricsProperties() : MetricsProperties <<setter>>+setMetricsProperties(metricProperties : MetricsProperties) : void <<getter>>+getAbbreviation() : String <<setter>>+setAbbreviation(abbreviation : String) : void <<getter>>+getDescription() : String <<setter>>+setDescription(description : String) : void <<getter>>+getName() : String <<setter>>+setName(name : String) : void <<getter>>+getType() : MetricType <<setter>>#setLimits(result : MetricResult, element : BaseElement) : void <<getter>>-getPropertyIntegerValue(property : String) : int <<getter>>-getPropertyFloatValue(property : String) : float <<getter>>+isPackage(element : BaseElement) : boolean <<getter>>+getCalculator() : MetricsCalculator <<setter>>+setCalculator(calculator : MetricsCalculator) : void <<getter>>#getPropertiesList() : List <<getter>>+getID() : String <<setter>>+setID(id : String) : void <<getter>>-getPackageForElement(element : BaseElement) : BaseElement <<getter>>#isFromSamePackage(element : BaseElement, otherElement : BaseElement) : boolean <<getter>>+getMetricValueType() : int <<setter>>+setMetricValueType(metricValueType : int) : void ...</pre>

Constructor

The next example will create a metric with the given data about the metrics and put it into the Other group.

```
public MyMetric()
{
    super("My Metric", "MM", MetricType.OTHER, "MY_METRIC",
MetricValue.INTEGER_VALUE);
    setDescription("This is my metric.");
}
```

You have also to provide a constructor for your metrics that must call the following super constructor:

```
public Metric(String name, String abbreviation, MetricType type, String id, int
metricValueType)
```

You will have to provide unique name, abbreviation, and ID for your metric.


The value return type can be integer or real, the constants are on MetricValue class.

There are already some predefined types in MetricType class that can be used.

MetricType class:

CREATING METRICS

Adding new metrics to MagicDraw




Adding new metrics to MagicDraw

You have to create a Plugin for MagicDraw and make sure that your plugin descriptor file has in its requires section the following line:

```
<required-plugin id="com.nomagic.magicdraw.plugins.impl.metrics"/>
```

In your plugin class you must use then the MetricsManager **addMetric(Metric metric)** method to add the new metric to MagicDraw. Now your metric will be available for using as any predefined metric.



Full example source code

Plugin descriptor file

```
<?xml version="1.0" encoding="UTF-8"?>
<plugin
  id="com.nomagic.magicdraw.examples.mymetrics"
  name="MyMetrics"
  version="1.0"
  provider-name="No Magic"
  class="com.nomagic.magicdraw.examples.mymetrics.MyMetricsPlugin">

  <requires>
    <api version="1.0"/>
    <required-plugin id="com.nomagic.magicdraw.metrics"/>
  </requires>

  <runtime>
    <library name="mymetrics.jar"/>
  </runtime>
</plugin>
```

MyMetricsPlugin class

```
public class MyMetricsPlugin extends Plugin
{
    public void init()
    {
        MyMetric myMetric = new MyMetric();
        MetricsManager.getInstance().addMetric(myMetric);
    }

    public boolean close()
    {
        return true;
    }

    public boolean isSupported()
    {
        return true;
    }
}
```

MyMetric class

```
public class MyMetric extends Metric
{
    public MyMetric()
    {
        super("My Metric", "MM", MetricType.OTHER, "MY_METRIC",
MetricValue.INTEGER_VALUE);
        setDescription("This is my metric. This metric will calculate the number of
stereotypes for classes.");
    }

    protected MetricResult calculateLocalMetricValue(BaseElement target)
    {
        Collection stereotypes = StereotypesHelper.getStereotypes((Element) target);
        MetricResult result =
new MetricResult(MetricResult.create(stereotypes.size()));

        return result;
    }
}
```

CREATING METRICS

Full example source code

```
    }  
  
    public boolean acceptModelElement(BaseElement element)  
    {  
        return element instanceof  
com.nomagic.uml2.ext.magicdraw.classes.mdkernel.Class;  
    }  
}  
}
```

Metric framework structure



CONFIGURING ELEMENT SPECIFICATION

Adding Configuration

Open API provides a way to configure Elements' specification windows. With your own configurator you can create new Nodes or remove already existing Nodes. Nodes are items of Tree visible on the left side in every Specification window.

com.nomagic.magicdraw.ui.dialogs.specifications.SpecificationDialogManager class should be used for registering specification dialog configurator `ISpecificationNodeConfigurator`.

More information is available in javadoc.

CUSTOM DIAGRAM PAINTERS

MagicDraw API provides a way to add your own custom diagram painters for painting some additional stuff on the diagram canvas. A good sample would be some highlighting in the diagram.

NOTE! Painter can be added only into opened diagram's DiagramSurface. BTW, only opened diagram has DiagramSurface. Closed diagram will return null.

Code snippet:

```
Application.getInstance().addProjectEventListener(new
ProjectEventListenerAdapter()
{
    public void projectOpened(Project project)
    {
        project.addPropertyChangeListener(new PropertyChangeListener()
        {
            public void propertyChange(PropertyChangeEvent evt)
            {
                if (evt.getPropertyName().equals(Project.DIAGRAM_OPENED))
                {
                    DiagramPresentationElement diagram =
Application.getInstance().getProject().getActiveDiagram();
                    diagram.getDiagramSurface().addPainter(new
DiagramSurfacePainter()
                    {
                        public void paint(Graphics g,
DiagramPresentationElement diagram)
                        {
                            g.setColor(Color.BLUE);
                            List symbols = diagram.getPresentationElements();
                            for (int i = 0; i < symbols.size(); i++)
                            {
                                PresentationElement o = (PresentationElement)
symbols.get(i);
                                    if (o instanceof ShapeElement)
                                    {
                                        Rectangle bounds = o.getBounds();
                                        bounds.grow(5,5);
                                        ((Graphics2D)g).draw(bounds);
                                    }
                                }
                            }
                        }
                    });
                }
            }
        });
    }
});
```

Full running sample is provided in Open API examples with name CustomDiagramPainter.

ANNOTATIONS

Using MagicDraw API you can add an annotation to any base element (model element or symbol in a diagram).

Annotations are shown in the Containment tree and in the diagrams.

Annotation has the following properties:

- severity - like error, warning, info, debug, fatal.
- kind - string representing annotation short name.
- text - string representing annotation text.
- target - target base element.
- actions - optional list of actions. They are shown in a diagram on a symbol's smart manipulator.

To add or remove annotations, use `com.nomagic.magicdraw.annotation.AnnotationManager`.

IMPORTANT! Do not forget to call `AnnotationManager.update()`, when you are done with adding or removing in order to refresh MagicDraw UI.

TIP! Find the sample plugin named "annotations" in MagicDraw Open API examples directory.

VALIDATION

Basic concepts

Validation rules and validation suites specify what will be validating and how. They also specify how problem found by validation rule can be solved.

Validation rule is a constraint with applied stereotype «UML Standard Profile::Validation Profile::validationRule». Validation rules can validate model elements and non model elements (e.g. presentation elements) as well. UML metaclass specified as a constrained element defines that a validation rule validates elements of the specified metaclass. Stereotype specified as a constrained element specifies that a validation rule validates elements that have the stereotype applied. Classifier specified as a constrained element specifies that a validation rule validates instances of the specified classifier. Validation rule's implementation can be OCL2.0 based or binary. Binary validation rules can be implemented in Java. OCL2.0 based validation rules are described using OCL2.0 language. Validation rule can be global or local. Global validation rules will be executed only once per validation session. Local validation rules will be executed for each model element. Validation rule will be treated as global if:

- it is a OCL2.0 based validation rule, OCL2.0 specification is valid and OCL2.0 specification does not use "self" variable (explicitly or implicitly by using only a property of constrained element).
- it is binary based, has specified implementation class name and it has no specified constrained elements.

Local validation rule will be executed on each model element.


Validation suite is a package with stereotype «UML Standard Profile::Validation Profile::validationSuite». Validation suite organizes several validation rules into a unit that can be used for performing validation. Validation rules can be added or imported into validation suite.

Active validation suite is a package with stereotype «UML Standard Profile::Validation Profile::activeValidationSuite». Active validation rules can be checked constantly or on model elements change. OCL2.0 or Binary validation rules can be used in the active validation. We suggest to prefer binary, because they give better performance.

Annotation defines validation result. It contains information about what is incorrect, severity of the problem, and possible actions that can be used to solve the problem.

Validation rule developer's roadmap

Validation rule developer's roadmap allows faster understanding of steps required for creating a validation rule.



Each case is described later in detail.

Create OCL2.0 Validation Rule

OCL2.0 validation rule describes validation logic using OCL2.0. How to create OCL2.0 validation rule:

1. Create a constraint
2. Set stereotype «UML Standard Profile::Validation Profile::validationRule» for the validation rule
3. Set severity level, error message, and abbreviation
4. Specify constrained element(s)
5. Specify specification language OCL2.0
6. Enter OCL2.0 expression as a body of specification
7. Add/import the created validation rule to a validation suite

OCL2.0 validation rule can be used in an active validation suite. In this case validation rule will be executed on any change of constrained elements that are from the validation scope. Executing of the validation rule might be triggered even if no properties important to the validation rule actually changed and this can slow down active validating speed. In order to avoid degradation of performance you can create a binary validation rule that uses OCL2.0 expression to validate model elements but also provides additional information for the MagicDraw that allows to optimize triggering of executing after model elements change. E.g. we want to check whether all classes have names. This can be done by creating OCL2.0 validation rule and specifying OCL2.0 expression:

```
name <> ''
```

The problem is that such a validation rule actually is interested in a class property name value change but it will be executed on every property value of a class change. How we can fix this problem and inform MagicDraw to execute the validation rule only on class property name change:

1. Create a constraint
2. Set stereotype «UML Standard Profile::Validation Profile::validationRule» for the validation rule
3. Set severity level, error message, and abbreviation
4. Specify constrained element(s)
5. Specify specification language OCL2.0
6. Enter OCL2.0 expression as a body of specification
7. Create a Java class that extends `com.nomagic.magicdraw.validation.DefaultValidationRuleImpl` class
8. Override method `public Map<Class<? extends Element>, Collection<SmartListenerConfig>> getListenerConfigurations()`

```
public Map<Class<? extends Element>, Collection<SmartListenerConfig>>
getListenerConfigurations()
{
    Map<Class<? extends Element>, Collection<SmartListenerConfig>> configs =
        new HashMap<Class<? extends Element>,
Collection<SmartListenerConfig>>();
    Collection<SmartListenerConfig> configsForClass = new
ArrayList<SmartListenerConfig>();
    configsForClass.add(SmartListenerConfig.NAME_CONFIG);
    configs.put(com.nomagic.uml2.ext.magicdraw.classes.mdkernel.Class.class,
configsForClass);
    return configs;
}
```

9. Specify the validation rule's implementation property value - qualified name of the class
10. Add/import the created validation rule to a validation suite

See `MyOCLBasedValidationRuleImpl.java` example in `<MagicDraw_install_dir>/openapi/examples/validation` directory.

NOTE: the implementation class must be in the classpath of the MagicDraw application or if the implementation class is in a plugin then the plugin's classloader must be registered to the validation system (see "Binary validation rule in plugin").

Binary Validation Rule

Sometimes it is hard to specify the rule for some advanced concepts in OCL. For example, string manipulation is rather weak in OCL2.0, hence the writing rule for string formats, parsing strings is very hard in OCL. In such cases MagicDraw offers possibility to write rules in Java language and invoke them when validating.

Common steps for creating a binary validation rule:

1. Create a constraint

2. Set stereotype «UML Standard Profile::Validation Profile::validationRule» for the validation rule
3. Set severity level, error message, and abbreviation.
4. Specify constrained element(s)
5. Specify specification language binary
6. Create Java implementation class (see all possible cases below)
7. Compile Java code, resulting in one or several classes.
8. Ensure that MagicDraw can find & load these classes. You can place them in the MagicDraw classpath or use the MagicDraw plugins mechanism. The same rules as writing the code for open API are used here.

These steps are common to all possible binary validation cases and will not be repeated in each case description.

See `MyBinaryValidationRuleImpl.java` example in `<MagicDraw_install_dir>/openapi/examples/validation` directory.

NOTE: the implementation class must be in the classpath of the MagicDraw application or if the implementation class is in a plugin then the plugin's classloader must be registered to the validation system (see "Binary validation rule in plugin.").

Create Binary Validation Rule - Case A

If you want to control when validation rule has to be executed and you want to control what must be validated and how, then you have to create Java class and implement interface `com.nomagic.magicdraw.validation.ValidationRule`. The class must have public no-arg constructor. Value of implementation property of the validation rule must be qualified name of the implemented class.

This case is not recommended for validating model elements because validation rule provider must implement not only validating of model elements but also other details that are provided by MagicDraw validation engine. In this case, validation rule provider must correctly implement validating of model elements that are from validation scope defined in project options, should take care that implementation would respect project property Exclude element from read-only modules and is responsible for implementing when validation has to be executed.

Create Binary Validation Rule - Case B

If you want to concentrate on implementation of validating model elements and delegate task of detecting model element changes and project property changes to active validation engine then you have to create Java class and implement `com.nomagic.magicdraw.validation.ElementValidationRuleImpl` and interface. The class must have public no-arg constructor. Value of implementation property of the validation rule must be qualified name of the implemented class.

Create Binary Validation Rule - Case C

If the a validation rule is designed for active validation then validation performance becomes very important. In this case we want that validation rule would be executed only then it is actually required, so implementation of validation rule must somehow inform the active validation engine which model element property changes are important to the validation rule. In order to create such a validation rule you have implement

`com.nomagic.magicdraw.validation.ElementValidationRuleImpl` and `com.nomagic.magicdraw.validation.SmartListenerConfigurationProvider` interfaces. The class must have public no-arg constructor. Value of implementation property of the validation rule must be qualified name of the implemented class.

The `com.nomagic.magicdraw.validation.SmartListenerConfigurationProvider` interface defines a single method:

```
Map<Class<? extends Element>, Collection<SmartListenerConfig>>
getListenerConfigurations()
```

Implementation of this method should return a map of classes derived from `com.nomagic.uml2.ext.magicdraw.classes.mdkernel.Element` class to collection(s) of `com.nomagic.uml2.ext.jmi.smartlistener.SmartListenerConfig` objects.

Another way would be to extend `com.nomagic.magicdraw.validation.DefaultValidationRuleImpl` class and override the following method:

```
Map<Class<? extends Element>, Collection<SmartListenerConfig>>
getListenerConfigurations()
```

NOTES

In the **Constraint** Specification dialog box, **Constrained Element** property should be specified. Constrained element is element for which validation rule is created.

Validation rule that is interested in model class and interface names changes example

```
public Map<Class<? extends Element>, Collection<SmartListenerConfig>>
getListenerConfigurations() {
    Map<Class<? extends Element>, Collection<SmartListenerConfig>> configMap =
        new HashMap<Class<? extends Element>,
Collection<SmartListenerConfig>>();
    Collection<SmartListenerConfig> configs = new
ArrayList<SmartListenerConfig>();
    configs.add(SmartListenerConfig.NAME_CONFIG);
    configMap.put(com.nomagic.uml2.ext.magicdraw.classes.mdkernel.Class.class,
configs);

    configMap.put(com.nomagic.uml2.ext.magicdraw.classes.mdinterfaces.Interface.class,
configs);
    return configMap;-
}
```

NOTE

In the **Constraint** Specification dialog box, the **Constrained Element** property should be Class and Interface from the UML Standard Profile.

Validation rule that is interested in Activity parameters and Activity parameter node changes example:

```
public Map<Class<? extends Element>, Collection<SmartListenerConfig>>
getListenerConfigurations()
{
    Map<Class<? extends Element>, Collection<SmartListenerConfig>> configMap
= new HashMap<Class<? extends Element>, Collection<SmartListenerConfig>>();
    Collection<SmartListenerConfig> configs = new
ArrayList<SmartListenerConfig>();
    SmartListenerConfig parameterConfig = new SmartListenerConfig();
    Collection<String> parameterPropertiesList = new ArrayList<String>();
    parameterPropertiesList.add(PropertyNames.DIRECTION);
    parameterPropertiesList.add(PropertyNames.TYPE);
    parameterPropertiesList.add(PropertyNames.OWNED_TYPE);
}
```

```

parameterConfig.listenToNested(PropertyNames.OWNED_PARAMETER).listenTo(parameterPr
opertiesList);
    SmartListenerConfig cfg = new SmartListenerConfig();
    Collection<String> argumentCftList = new ArrayList<String>();
    argumentCftList.add(PropertyNames.PARAMETER);
    argumentCftList.add(PropertyNames.TYPE);
    argumentCftList.add(PropertyNames.OWNED_TYPE);
    cfg.listenTo(argumentCftList);
    SmartListenerConfig argumentConfig = new SmartListenerConfig();
    argumentConfig.listenTo(PropertyNames.NODE, cfg);
    configs.add(parameterConfig);
    configs.add(argumentConfig);
    configMap.put(Activity.class, configs);
    return configMap;
}

```

See `JavaConstantNameValidationRuleImpl.java` example in `<MagicDraw_install_dir>/openapi/examples/validation` directory.

Create Binary Validation Rule - Case D

If you want to create a validation rule that will not be used in active validation and you do not need to provide solving actions then you can create a Java class that contains static method with signature:

```
public static Boolean <method_name>(<Element_type> param)
```

and specify `<qualifiedClassName>.<method_name>` as a body value of validation rule's specification.

The referred java method must be a static method and it must take exactly one parameter. Several validating methods can be placed into one Java class or use one class per validating method – this is irrelevant.

The type of the parameter MUST match the type of the constrained element of the validation rule. For validation rules on metaclasses, use the appropriate class from the `com.nomagic.uml2.ext.magicdraw.*` package.

For example, to write the rule for metaclass *Data Type*, use

`com.nomagic.uml2.ext.magicdraw.classes.mdkernel.DataType` as a type of the parameter.

For the validation rules on stereotypes, use the same class as you would use when specifying the validation rule for metaclass of that stereotype. For validation rules on the classifiers of the model, use the `com.nomagic.uml2.ext.magicdraw.classes.mdkernel.InstanceSpecification` as the type of the parameter.

The following is an example of a trivial validation rule, which always returns true (i.e. all elements are valid):

Java code:

```

package com.nomagic.magicdraw.validation;

import com.nomagic.uml2.ext.magicdraw.classes.mdkernel.DataType;

public class TestRule
{
    public static Boolean testMeta(DataType exp)
    {
        return Boolean.TRUE;
    }
}

```

Compile such code into Java bytecode and locate it where MagicDraw can load it (classpath, plugin), and then you can use it for validation:

1. Create the validation rule in our model.
2. Select *Data Type* metaclass as the constrained element of the rule.
3. Select *Binary* language for the expression of the rule.
4. Specify `com.nomagic.magicdraw.validation.TestRule.testMeta` as the body of the expression of the rule.

Run the validation suite with included validation rule. The method will be invoked for each datatype model element, found in the scope of the validation run. For each element, where this method returns false, an entry will be placed in the validation results table.

For more information about writing Java code, which navigates through the model and accesses various data from the model, see other sections of current user guide.

Binary validation rule in plugin

MagicDraw validation engine must be able load validation rule implementation class. Validation engine is able to load class if the implementation class exists in MagicDraw classpath or if the validation rule implementation class is in plugin classpath then the plugin must register the plugin's classloader to validation system in this way:

```
EvaluationConfigurator.getInstance().registerBinaryImplementers(<PluginClassName>.
class.getClassLoader());
```

How to provide a solution for a problem found during validation?

Validation rule returns annotations as validation results to the validation engine. Each annotation can contain a list of action objects that implements how a particular problem found by validation rule can be solved. In order to create an action for solving validation rule's provider must create a Java class that extends `com.nomagic.actions.NMAction` class and implement `public void actionPerformed(ActionEvent e)` method. User will be able to invoke the action from the validation results table or from browser. In order to enable performing the action on multiple targets the action class must implement `com.nomagic.magicdraw.annotation.AnnotationAction` interface.

See `MyAction.java`, `FixJavaConstantNamesAction.java`, `MyBinaryValidationRuleImpl.java` and `JavaConstantNameValidationRuleImpl.java` examples in `<MagicDraw_install_dir>/openapi/examples/validation` directory.

TEAMWORK

MagicDraw API provides Teamwork Server accessing methods.

Code snippet:

```
// check logged user
if (!user.equals(TeamworkUtils.getLoggedInUserName()))
{
    // login to teamwork
    if (!TeamworkUtils.login(server, -1, user, password))
    {
        // login failed
        return;
    }
}

// load teamwork project
ProjectDescriptor projectDescriptor = TeamworkUtils
    .getRemoteProjectDescriptorByQualifiedName(projectName);
ProjectsManager projectsManager = Application.getInstance().
    getProjectsManager();

projectsManager.loadProject(projectDescriptor, true);
Project project = Application.getInstance().getProject();

Model model = project.getModel();

// get locked by user
Collection userLockedElements = TeamworkUtils.
    getLockedElement(project, user);
if (!userLockedElements.contains(model))
{
    // model is not locked by user, get all locked
    Collection allLockedElements = TeamworkUtils.
        getLockedElement(project, null);
    if (!allLockedElements.contains(model))
    {
        // model is not locked - lock
        TeamworkUtils.lockElement(project, model, false);
    }
}
SessionManager.getInstance().createSession("Rename Model");
// change name
model.setName("MyModel");
SessionManager.getInstance().closeSession();
// unlock and commit (because do not discard)
TeamworkUtils.unlockElement(project, model, false, false);
projectsManager.closeProject();
// logout
TeamworkUtils.logout();
```

Check the *com.nomagic.magicdraw.teamwork.application.TeamworkUtils* class JavaDoc for method descriptions.

CODE ENGINEERING

Since MagicDraw 16.0 you can perform Code Engineering using OpenAPI.


Code engineering allows generation of source code from specific model, and source code reversing into model elements. MagicDraw provides API for:

- Code engineering sets creation for particular programming languages.
- Automatic component creation for every class involved in forward engineering and every file involved into reverse engineering.
- Specification of working or output, or temporary directories for processing source code files. Destination of the code reverse operation output can be any model package.

In this chapter we will review how to manage code engineering and how to do reverse and forward engineering.

Code Engineering Set

A CodeEngineeringSet object represents a code-engineering object as a resource for forward or reverse engineering.



```
CodeEngineeringSet
<<getter>>+getWorkingDirectory() : String
<<getter>>+getWorkingPackage() : Package
<<getter>>+getName() : String
<<setter>>+setName( name : String ) : void
+addElementsToCodeEngineeringSet( modelElements : List<BaseElement> ) : void
+addFilesToCodeEngineeringSet( file : List<File> ) : void
+addAllFilesRecursivelyToCES( pathDirectory : File ) : void
<<getter>>+getAllModelElements() : List<BaseElement>
```

Figure 12 -- Interface of the Code Engineering Set

Each CodeEngineeringSet provides properties, which can be read:

- **Name.** Represents a name of the code engineering set, visible in the Browser.
- **Model elements.** Represents elements that are added into the code engineering set from the model.
- **Working directory.** Represents a code engineering directory where generated/reversed files are located.

Forward Engineering

To perform code generation, elements should be added to the CodeEngineeringSet object. Use the following method to add a list of model elements to the code engineering set:

- `addElementsToCodeEngineeringSet(List<BaseElement> modelElements)`

NOTE

Model elements should be in the working package, otherwise model element will not be added to code engineering set. Working package is setted when creating code engineering set.

Reverse Engineering

Source code files are required to perform the Reverse Engineering. There are 2 methods available for adding files into code engineering set:

1. `addFilesToCodeEngineeringSet(List<File> file);`
This method adds given list of files to code engineering set.
2. `addAllFilesRecursivelyToCES(String path);`
This method adds all specific source code files to code engineering set, starting from given directory.

NOTE Source code files should be in working directory, in order to have successful reverse.

Managing code engineering sets

CodeEngineeringManager class provides static API methods for creating, removing, reversing, generating and adjusting code-engineering settings. CodeEngineeringManager class is used for managing code engineering sets.

When creating the code engineering set, the following fields are required:

- Language and dialect IDs. All languages and dialects IDs are stored in the CodeEngineeringConstants class.
- Name of the code engineering set.
- Project, where code engineering set will be added.
- Working package.
- Working directory.

CodeEngineeringManager
<code>removeCodeEngineeringSet(codeEngineeringSet : CodeEngineeringSet) : void</code>
<code>getAllCodeEngineeringSets(project : Project) : List<CodeEngineeringSet></code>
<code>getCodeEngineeringSet(project : Project, language : String, dialect : String, name : String) : CodeEngin...</code>
<code>setReverseAnalysisOption(project : Project, createClassifiersDependencies : boolean, createPackage...</code>
<code>setClassFieldCreationType(project : Project, language : String, asAttribute : boolean) : void</code>
<code>setResetAlreadyCreatedFields(project : Project, reset : boolean) : void</code>
<code>setMergeModelAndCode(project : Project, mergeCode : boolean) : void</code>
<code>reverse(ces : CodeEngineeringSet, showOptionDialog : boolean) : void</code>
<code>generate(ces : CodeEngineeringSet) : void</code>
<code>createCodeEngineeringSet(language : String, dialect : String, name : String, project : Project, workingP...</code>

Figure 13 -- Class for managing Code Engineering Sets

- New CodeEngineeringSet can be created directly via CodeEngineeringManager:

`CodeEngineeringManager.createCodeEngineeringSet(language, dialect, name, project, workingPackage, workingDirectory);`

Language and dialect can be selected from the CodeEngineeringConstants class. Dialect is required for DDL and C++ languages.

NOTES

- null `workingPackage` means, that code engineering working package will be model Data by default;
- null `workingDirectory` means, that code engineering working directory will be MagicDraw install root.

- To remove instance of CodeEngineeringSet use the following method:

`CodeEngineeringManager.removeCodeEngineeringSet(codeEngineeringSet);`

- All Code Engineering Sets can be retrieved by the following method:
`CodeEngineeringManager.getAllCodeEngineeringSets(project);`
- To perform generation of CodeEngineeringSet object use the following method:
`CodeEngineeringManager.generate(codeEngineeringSet);`
- To perform reverse engineering use the following method:
`CodeEngineeringManager.reverse(codeEngineeringSet, showOptionsDialog);`

Language specific options

JavaCEManager provides methods to set Java specific options. These options applies to all code engineering sets in project.

- To add classpaths for java code engineering sets, use:
`CodeEngineeringManager.setJavaClasspath(project, arrayOfclasspaths)`
NOTE: setting a new classpath will override the old one.
- To get applied classpaths for java code engineering sets, use:
`CodeEngineeringManager.getJavaClasspath(project)`
- To resolve collection generics when reversing java code, use:
`CodeEngineeringManager.setResolveCollectionGenerics(project,true)`

JavaCodeEngineeringManager
<code><<setter>>+setJavaClasspath(project : Project, classpaths : String[]"): void</code>
<code><<getter>>+getJavaClasspath(project : Project) : String[]"</code>
<code><<setter>>+setResolveCollectionGenerics(project : Project, resolve : boolean) : void</code>

Figure 14 -- Class for managing JAVA Code Engineering Sets

Samples of the forward and reverse engineering

Performing the forward engineering

This example shows how to perform simple java code generation.

Step 1. Creating a CodeEngineeringSet

```
Project project = Application.getInstance().getProject();
String name = "sample CE project";
String workingDir = OPENAPI_DATA_DIRECTORY_PATH;
// create working package.
ElementsFactory ef = project.getElementsFactory();
Package workingPackage = ef.createPackageInstance();
workingPackage.setName("my working package");
workingPackage.setOwner(project.getModel());
// creating code engineering set.
CodeEngineeringSet javaGenerationSet =
CodeEngineeringManager.createCodeEngineeringSet (
CodeEngineeringConstants.Languages.JAVA, null, name, project, workingPackage,
workingDir);
```

Step 2. Adding model elements to the CodeEngineeringSet

```
Project project = Application.getInstance().getProject();
```

```
// create new element
ElementsFactory ef = project.getElementsFactory();
Class classA = ef.createClassInstance();
classA.setName("ClassA");
classA.setOwner(project.getModel());
List<BaseElement> modelsForSample = new ArrayList<BaseElement>();
modelsForSample.add(classA);
javaGenerationSet.addElementsToCodeEngineeringSet(modelsForSample);
```

Step 3. Performing CodeEngineeringSet generation

```
CodeEngineeringManager.generate(javaGenerationSet);
```

Performing the reverse engineering

This example shows how to perform simple java code reverse.

Step 1. Creating the CodeEngineeringSet

```
Project project = Application.getInstance().getProject();
String name = "sample CE project";
String workingDir = OPENAPI_DATA_DIRECTORY_PATH; // e.g C:\myworkingPackage
// create working package.
ElementsFactory ef = project.getElementsFactory();
Package workingPackage = ef.createPackageInstance();
workingPackage.setName("my working package");
workingPackage.setOwner(project.getModel());
// creating code engineering set.
CodeEngineeringSet set = CodeEngineeringManager.createCodeEngineeringSet(
CodeEngineeringConstants.Languages.JAVA, null, name, project, workingPackage,
workingDir);
```

Here null dialect is used for java language, because java doesn't have any dialect.

Step 2. Adding source code to the CodeEngineeringSet

```
ces.addAllFilesRecursivelyToCES(new File(workingDir + File.separator + "test
directory")); // starting from C:\myworkingPackage\test directory\
```

This sets given instance of code engineering set working directory and adds all files from that directory.

Set java classpaths for project:

```
String[] claspath = new String[] { path1, path2, path3, path4 };
JavaCodeEngineeringManager.setJavaClasspath(mTestProject2, project);
```

Step 3. Performing reverse of the CodeEngineeringSet

```
CodeEngineeringManager.reverse(ces, false);
```

ORACLE DDL GENERATION AND CUSTOMIZATION

MagicDraw Oracle DDL script generation is based on the Velocity engine. It provides ability to change generated DDL script by changing velocity template. In this chapter we will introduce how Oracle DDL generation works in MagicDraw, how to change template for some specific things.

Knowledge of the Velocity Template Language is necessary for understanding, editing, or creating templates.

Velocity documentation can be downloaded from: <http://click.sourceforge.net/docs/velocity/VelocityUsers-Guide.pdf>.

For more information about Oracle DDL 11g, see http://download.oracle.com/docs/cd/B28359_01/server.111/b28286/toc.htm

Introduction to Oracle DDL generation in MagicDraw

The MagicDraw Oracle DDL generation consists of the following three components:

- Velocity engine. Oracle DDL generation is performed by Velocity engine. The engine collects context variables and merges them into template.
- Template. Template is a user-defined document that provides Velocity Template Language (VTL) syntax. The VTL syntax is used to manipulate the context variables for generating text script.

The template file can be changed in the **CG Properties Editor** dialog box (in the Oracle DDL set shortcut menu, choose the **Properties** command).

The default Oracle DDL template is stored in <MagicDraw install folder>\data\DB_engineering\Oracle_template folder.

- Context variables. Context variables are MagicDraw models (retrieved from OpenAPI), code engineering set information, and user-defined variables.

To identify Oracle object check applied Stereotypes and Tagged Values.

Understanding Oracle DDL Template structure

Default Oracle DDL template is stored in <MagicDraw install folder>\data\DB_engineering\Oracle_template folder. Template consists of many macros - velocity functions. Each macro is dedicated for particular object generation.

This example shows velocity macro for Oracle VIEW object generation:

```
#macro ( generateView $data )
    #set ( $QUERY_RESTICTION = "query restriction")
    #set ( $force = false)
    #set ( $force = $oracleHelper.getBooleanValueFromDefaultProfile(
    $data,$VIEW_STEREOYPE, $FORCE_TAG ) )
```

```

    #set ( $sqlrestriction = false)
    #set ( $sqlrestriction = $ oracleHelper.getFirstPropertyValueFromProfile(
$data,$VIEW_STEREOType, $QUERY_RESTICTION ) )
    #set ( $sql = false)
    #set ( $sql = $ oracleHelper.getFirstPropertyValueFromProfile(
$data,$VIEW_STEREOType, $QUERY_TAG ) )
    #set ( $columns = false)
    #set ( $columns = $ oracleHelper.getViewColumnList( $data ) )
    #if ( $columns)
        #set ( $columns = " ($columns)" )
    #else
        #set ( $columns = $nospace )
    #end
    #writeDocumentation ( $data $nospace )
    #writeLine( "$ oracleHelper.getCreate($data)#if ( $
oracleHelper.getPropertiesListFromDefaultProfile($data, $VIEW_STEREOType,
$FORCE_TAG).size()>0 )#if( $force ) FORCE#else NO FORCE#end#end VIEW $
oracleHelper.getQualifiedname( $data )$columns AS" $nospace)
    #if ( $sql )#writeLine( $sql $tab )#end#writeText( ${sqlrestriction} ${space}
${nospace})${semicolon}
#end

```

Model element with stereotype "view" is passed to macro function, and then all element information is retrieved by \$oracleHelper utility class. Oracle View stereotype has 3 properties. These tagged values store information about force, query restriction and query statements.

Method \$oracleHelper.getFirstPropertyValueFromProfile(\$data,\$VIEW_STEREOType,\$QUERY_RESTICTION) gets query restriction statement from element \$data.

Customizing template

To change generation of the particular Oracle Object, add new functionality to its macro in velocity template. Helper utility class will assist in retrieving model information. Read the next chapter to get familiar with available methods.

We suggest to make a back up of default template. Default template is stored in <MagicDraw install folder>\data\DB_engineering\Oracle_template folder. The template file can be changed in the **CG Properties Editor** dialog box (in the Oracle DDL set shortcut menu, choose the **Properties** command).

When generating DDL, objects are passed from code engineering set to velocity engine.

Object, that are passed to Oracle DDL velocity engine:

Object name	Object type	Description
\$CESList	List<NamedElement>	List of model elements that are added to code engineering set.
\$dropRequired	boolean	Flag to notify if drop objects is required. This is a drop setting option which generates Drop statement.
\$oracleHelper	Java.lang.Class	This is helper class, for retrieving information from model elements. Use this class to check element for applied stereotypes, get tagged values and element's owned information.
\$newLineBracket	boolean	Generation Option to generate bracket in new line.
\$genDocumentation	boolean	Language option for documentation generation.

Utility class

This utility class helps to retrieve information from MagicDraw model elements.

Use these commands to get particular information:

- `$oracleHelper.hasStereotype($element, $stereotypeName)`

Returns true if given element has applied given stereotype.

	Name	Type	Description
Parameters	\$element	com.nomagic.uml2 .ext.magicdraw.c lasses.mdkernel. Element	Element to check.
	\$stereotypeName	java.lang.String	Stereotype name to be checked.
Return	-	boolean	true if elements has applied stereo- type with given name.

- `$oracleHelper.getBooleanValueFromDefaultProfile($element, $stereotypeName, $propertyName)`

Given an Element, Stereotype name and Tag name, returns tag value as Boolean from Oracle profile.

	Name	Type	Description
Parameters	\$element	com.nomagic.uml2 .ext.magicdraw.c lasses.mdkernel. Element	Element to check.
	\$stereotypeName	java.lang.String	Stereotype name (from default pro- file) that should be applied.
	\$propertyName	java.lang.String	Property name which value will be retrieved.
Return	-	boolean	Boolean value of property (tag).

- `$oracleHelper.getPropertiesListFromDefaultProfile($element, $stereotypeName, $propertyName)`

Returns list of given property values, that exists on given element with applied stereotype from Oracle profile.

	Name	Type	Description
Parameters	\$element	com.nomagic.uml2 .ext.magicdraw.c lasses.mdkernel. Element	Element to be tested.
	\$stereotypeName	java.lang.String	Stereotype name which should be applied.
	\$propertyName	java.lang.String	Property (Tag) name to get values from.
Return	-	java.util.List	List of property values.

- `$oracleHelper.getFirstPropertyValueFromProfile($element, $stereotypeName, $propertyName)`

Returns First given Tag property value from given element, which has applied given stereotype.

	Name	Type	Description
Parameters	\$element	com.nomagic.uml2.ext.magicdraw.classes.mdkernel.Element	Element to be tested.
	\$stereotypeName	java.lang.String	Stereotype name, that should be applied to element.
	\$propertyName	java.lang.String	Property name where to check for values.
Return	-	java.lang.String	First property value in String representation.

- `$oracleHelper.getDefaultValueAsBoolean($property)`

Given an property, returns default value as boolean.

	Name	Type	Description
Parameter	\$property	com.nomagic.uml2.ext.magicdraw.classes.mdkernel.Property	Boolean Property to be check for default value.
Return	-	boolean	Default boolean value of property (tag).

- `$oracleHelper.getFirtPropertyValueFromGivenProfile($element, $profileName, $stereotypeName, $propertyName)`

Returns first given tag property value from given element, which has applied given stereotype from profile.

	Name	Type	Description
Parameters	\$element	com.nomagic.uml2.ext.magicdraw.classes.mdkernel.Element	Element to be tested.
	\$profileName	java.lang.String	Profile name where stereotype exists.
	\$stereotypeName	java.lang.String	Stereotype name.
	\$propertyName	java.lang.String	Property (Tag) name, which value will be checked.
Return	-	java.lang.String	First value in property list in String.

- `$oracleHelper.getPropertiesListFromProfile($element, $profileName, $stereotypeName, $propertyName)`

Returns list of given property values, that exists on given element with applied stereotype from given profile.

	Name	Type	Description
--	------	------	-------------

Parameters	\$element	com.nomagic.uml2 .ext.magicdraw.c lasses.mdkernel. Element	Element to be tested.
	\$profileName	java.lang.String	Profile name where stereotype exists.
	\$stereotypeName	java.lang.String	Stereotype name.
	\$propertyName	java.lang.String	Property (Tag) name, which value will be checked.
Return	-	java.util.List	List of property values.

- `$oracleHelper.getStringValue($object)`

Given an value from Tag, returns String representation.

	Name	Type	Description
Parameter	\$element	com.nomagic.uml2 .ext.magicdraw.c lasses.mdkernel. Element	Element to be tested.
Return	-	boolean	true if element is the datatype.

- `$oracleHelper.isDataType($element)`

Returns true if element is data type.

	Name	Type	Description
Parameter	\$element	com.nomagic.uml2 .ext.magicdraw.c lasses.mdkernel. Element	Element to be tested.
Return	-	boolean	true if element is datatype.

- `$oracleHelper.getType($type, $modifier)`

Given a type and modifier, returns it's description.

	Name	Type	Description
Parameters	\$type	com.nomagic.uml2 .ext.magicdraw.c lasses.mdkernel. Type	Type of element.
	\$modifier	java.lang.String	Modifier of Type.
Return	-	java.lang.String	Type definition for Oracle DDL.

- `$oracleHelper.getTypeModifier($element)`

Returns Type modifier for given element.

	Name	Type	Description
Parameter	\$element	com.nomagic.uml2 .ext.magicdraw.c lasses.mdkernel. Element	Element to be tested.
Return	-	java.lang.String	Type modifier description.

- `$oracleHelper.getParameters($operation)`

Returns list of operation parameters.

	Name	Type	Description
Parameters	\$element	com.nomagic.uml2 .ext.magicdraw.c lasses.mdkernel. Operation	Operation to be tested.
Return	-	java.util.List	List of operation parameters.

- `$oracleHelper.getColumnConstraint($column)`

Return given property Constraint.

	Name	Type	Description
Parameter	\$column	com.nomagic.uml2 .ext.magicdraw.c lasses.mdkernel. Property	Column to check for constraint.
Return	-	java.lang.String	Constraint definition.

- `$oracleHelper.getCreate($element)`

Returns CREATE statement for given element.

	Name	Type	Description
Parameter	\$element	com.nomagic.uml2 .ext.magicdraw.c lasses.mdkernel. Element	Element to be tested.
Return	-	Java.lang.String	description - CREATE or CREATE OR REPLACE.

- `$oracleHelper.getReturnParameter($operation, $createIfNeeded)`

Returns Return type parameter of given Operation.

	Name	Type	Description
Parameters	\$operation	com.nomagic.uml2 .ext.magicdraw.c lasses.mdkernel. BehavioralFeatur e	Operation to check.
	\$createIfNeeded	boolean	Flag to create return parameter if it is not exists.
Return	-	com.nomagic.uml2 .ext.magicdraw.c lasses.mdkernel. Parameter	Return parameter of given Operation

- `$oracleHelper.getIndexNameDefinition($index)`

Returns Name of given Index.

	Name	Type	Description
Parameter	\$index	com.nomagic.uml2 .ext.magicdraw.c lasses.mdkernel. .BehavioralFeatu re	BehavioralFeature as a oracle index to be checked for name.

Return	-	java.lang.String	Name of infex.
--------	---	------------------	----------------

- `$oracleHelper.getTableConstraintDefinition($dependency)`

Given a dependency, returns table constraint definition.

	Name	Type	Description
Parameters	<code>\$dependency</code>	<code>com.nomagic.uml2 .ext.magicdraw.. classes.ddepende ncies.Dependency</code>	Dependency to be tested.
Return	-	java.lang.String	Definition of table constraint.

- `$oracleHelper.isObjectPackage($element)`

Checks if given element is a Package.

	Name	Type	Description
Parameter	<code>\$element</code>	<code>com.nomagic.uml2 .ext.magicdraw.. classes.mdkernel .Element</code>	Element to be tested.
Return	-	boolean	true if element is Package.

- `$oracleHelper.isPackageDatabase($package)`

Returns true if given package is Database.

	Name	Type	Description
Parameter	<code>\$package</code>	<code>com.nomagic.uml2 .ext.magicdraw.. classes.mdkernel .Package</code>	Package to be tested.
Return	-	boolean	true if package is database.

- `$oracleHelper.isPublic($element)`

Returns true if given element has public visibility.

	Name	Type	Description
Parameter	<code>\$element</code>	<code>com.nomagic.uml2 .ext.magicdraw.. classes.mdkernel .Element</code>	Element to be tested.
Return	-	boolean	true if element has public visibility.

- `$oracleHelper.reverseList($list)`

Reverses give list.

	Name	Type	Description
Parameter	<code>\$list</code>	Java.util.List	List to be reversed.
Return	-	Java.util.List	Reversed list.

- `$oracleHelper.getRefName($element)`

Returns reference name description for element with "Ref:Element" tag.

	Name	Type	Description
--	------	------	-------------

Parameter	\$element	com.nomagic.uml2 .ext.magicdraw.. classes.mdkernel .Element	Element to be tested.
Return	-	java.lang.String	Reference element name.

Example

In this sample we will extend current Oracle View DROP statement. In the Default template we have Oracle view drop function. In this sample the simple macro is presented and it generates the following text:

```
DROP VIEW view_name;
```

See the sample bellow:

```
#macro (dropView $data )
#writeLine( "DROP VIEW $utils.getQualifiedName( $data )${semicolon}" $nospace)
#end
```

We will add a new tag to identify the "CASCADE CONSTRAINTS" clause in the DROP VIEW statement. The following script will be generated:

```
DROP VIEW view_name CASCADE CONSTRAINTS;
```

There are three steps to do this:

Step 1. Creating a new stereotype and tags

We need to create a new stereotype with the Boolean property, or extend the default "View" Stereotype with a new property. Name a new property "cascade_clause". Apply the stereotype to the View object and set value to "true".

We added a new tag to the view stereotype in the default profile.

Step 2. Changing the template file

Add the following lines to the template file:

```
#set($cascadeOption =false)
##this line is required to for setting new variable to false state.
#set($cascadeOption = $oracleHelper.getBooleanValueFromDefaultProfile(
$data,$VIEW_STEREOTYPE, "cascade_clause") )
```

This line retrieves boolean value from the given tag in given stereotype "\$view_stereotype" and sets it to a newly created \$cascadeOption value.

Then add a new checking clause into the drop statement. See the final method bellow:

```
#macro (dropView $data )
## sets value to new variable
#set($cascadeOption =
$oracleHelper.getBooleanValueFromDefaultProfile($data,$VIEW_STEREOTYPE,
"cascade_clause") )
#writeLine( "DROP VIEW $utils.getQualifiedName( $data )#if ($cascadeOption) CASCADE
CONSTRAINTS#end${semicolon}" $nospace)
#end
```

RUNNING MAGICDRAW IN BATCH MODE

MagicDraw plug-ins allows adding some custom action into MagicDraw actions sets. This approach works fine providing custom actions for user in UI, but does not solve custom task executing in the batch mode. For example, if you want to run MagicDraw, open some project, execute code generation and close MagicDraw, plug-ins will not work.

NOTE! MagicDraw application can not be run on headless device even in batch mode. Graphical environment is required.

MagicDraw provides API for running it in the batch mode. For this you need to extend the following class:

```
com.nomagic.magicdraw.commandline.CommandLine
```

Code snippet:

```
public class ExportDiagramImages extends CommandLine
{
    public static void main(String[] args)
    {
        // launch MagicDraw
        new ExportDiagramImages().launch(args);
    }
    protected void run()
    {
        File projectFile = ...;
        //open some project
        ProjectDescriptor projectDescriptor =
        ProjectDescriptorsFactory.createProjectDescriptor(projectFile.toURI());
        Application.getInstance().getProjectsManager().loadProject(projectDescriptor
        , true);
        // project is opened and now you can work with your project
    }
}
```

Full working sample is provided in Open API examples with name ImageGenerator. It takes a project file, destination directory as arguments and generates images for all diagrams.

NOTE! Do not forget to add all *.jar files recursively (except *md_commontw.jar* and *md_commontw_api.jar*) from <MagicDraw installation directory>/lib directory into the classpath. Make sure the patch.jar is the first in the classpath.